TP-Link CPE510 WLAN Access Point 300 Mbit/s Weiß Power over Ethernet (PoE)





Marke : TP-Link

Artikel-Code: CPE510

Produktname : CPE510

TP-Link CPE510. Maximale Datenübertragungsrate: 300 Mbit/s. Unterstützte Sicherheitsalgorithmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK. Ethernet LAN Datentransferraten: 10,100 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß

Merkmale	
Maximale Datenübertragungsrate *	300 Mbit/s
Wi-Fi Datenrate (max)	300 Mbit/s
Ethernet LAN Datentransferraten	10,100 Mbit/s
Frequenzband	5.15 - 5.85 GHz
Bandbreite	5 GHz
Netzstandard	IEEE 802.11a, IEEE 802.11n
Maximum Außenabstand	15000 m
Empfängersensitivität	802.11a: 54M: -75dBm, 48M: -76dBm, 36M: -83dBm, 6-24M: -95dBm 802.11n: MCS15: -73dBm, MCS14: -74dBm, MCS13: -76dBm, MCS12: -80dBm, MCS11: -83dBm, MCS10: -88dBm, MCS9: -90dBm, MCS8: -93dBm, MCS7: -73dBm, MCS6: -74dBm, MCS5: -76dBm, MCS4: -80dBm, MCS3: -83dBm, MCS2: -88dBm, MCS1: -90dBm, MCS0: -93dBm
Sicherheit	
Unterstützte Sicherheitsalgorithmen *	64-bit WEP, 128-bit WEP, 152-bit WEP, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK
MAC Adressen Filtern	✔
Protokolle	
Management-Protokolle	TDMA
Management-Funktionen	
Web-basiertes Management	✔
Management-Plattform	Pharos Control
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1
WAN Port	Ethernet (RJ-45)
Energie	
Power over Ethernet (PoE) *	✔

Energie	
Stromverbrauch (Standardbetrieb)	13 W
Design	
Produktfarbe *	Weiß
Reset-Knopf	✔
LED-Anzeigen	✔
Eingebaut	✘
Antenne	
Antennenfunktionen	Integrierte Antenne
Anzahl der Antennen	1
Antenne Zunahmeniveau (max)	13 dBi
Leistungen	
Eingebauter Prozessor	✔
Flash-Speicher	8 MB
Speicherkapazität	64 MB
Kompatible Betriebssysteme	Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.
Zertifikate	
Zertifizierung	FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark RoHS
Gewicht und Abmessungen	
Breite	224 mm
Tiefe	75 mm
Höhe	60 mm
Lieferumfang	
Mitgelieferte Kabel	AC
Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-30 - 70 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 95%

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Eingangsstrom	0.8 A

Logistikdaten	
Warentarifnummer (HS)	85176990



0804904109407



804904109407



6935364082260



0801940481498



801940481498



1210002611473



0840460604857



840460604857

Catalog Object Cloud

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date