TP-Link Omada AX3000 WiFi 6 Access Point zur Wandmontage





Marke : TP-Link **Produktfamilie:** Omada **Artikel-Code:** EAP655-WALL

Produktname : AX3000 WiFi 6 Access Point zur Wandmontage

2.4 GHz (574 Mbps), 5 GHz (2402 Mbps), 4 x Gigabit Ethernet Port, 802.11ax/ac/n/g/b/a, 143 x 86 x 42.6 mm
TP-Link Omada AX3000 WiFi 6 Access Point zur Wandmontage. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 2402 Mbit/s. Unterstützte Sicherheitsalgorithmen: HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA2-Enterprise, WPA3-Enterprise. Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	2402 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	574 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	2402 Mbit/s
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Frequenzband	2.4, 5 GHz
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at
Verkabelungstechnologie	10/100/1000Base-T(X)
Zahl der Benutzer	100 Benutzer
Automatische Kanalwahl	✔
WLAN-Multimedia (WMM)/(WME)	✔
VLAN-Unterstützung	✔
Ratenbeschränkung	✔
Kabellose Isolierung	✔
Bandsteuerung	✔
Airtime Fairness (ATF)	✔
Quality of Service (QoS) Support	✔
BeamForming	✔
Sendeleistung (CE)	20 - 23 - 26 dbm
Sendeleistung (FCC)	21 - 21 dbm

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
WAN Port	Ethernet (RJ-45)
Gleichstrom-Anschluss (DC)	✔
Energie	
Power over Ethernet (PoE) *	✔
Stromverbrauch (Standardbetrieb)	12 W
Design	
Platzierung *	Wand
Produktfarbe *	Weiß
Kabelsperre-Slot	✘
Reset-Knopf	✔
LED-Anzeigen	✔
Antenne	
Antennentyp *	Intern
Anzahl der Antennen	2
Antenne Zunahmeniveau (max)	5 dBi
Leistungen	
Kompatible Betriebssysteme	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux
Zertifikate	
Konformitätsbescheinigungen	RoHS
Zertifizierung	FCC, RoHS
Gewicht und Abmessungen	
Breite	143 mm

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA2-Enterprise, WPA3-Enterprise
MAC Adressen Filtern	✔
IP-Adressen Filter	✔
Funktionen Service Set Identifier (SSID)	Multiple SSIDs
Anzahl der SSID-Unterstützung	16
Fernauthentifizierungs-Einwähl-Benutzerdienst (RADIUS)	✔
Zugriffkontrollliste	✔

Management-Funktionen	
Web-basiertes Management	✔
Syslog	✔
Upgradefähige Firmware	✔

Gewicht und Abmessungen	
Tiefe	86 mm
Höhe	42,6 mm

Verpackungsdaten	
Verpackungsbreite	117 mm
Verpackungstiefe	184 mm
Verpackungshöhe	56 mm
Paketgewicht	400 g
Verpackungsart	Box

Lieferumfang	
Menge pro Packung	1 Stück(e)
Montageset	✔

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 90%

4897098682111

4897098683576

0840030703577

840030703577

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date