TP-Link Archer AX12 WLAN-Router Schnelles Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz





Marke : TP-Link **Produktfamilie:** Archer **Artikel-Code:** ARCHER AX12

Produktname : Archer AX12

TP-Link Archer AX12. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN Datentransferrate (max.): 1501 Mbit/s. Schnittstellentyp Ethernet-LAN: Schnelles Ethernet, Netzstandard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Unterstützte Sicherheitsalgorithmen: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz. Konformitätsbescheinigungen: CE, Eidgenössische Kommunikationskommission (FCC), RoHS

WAN-Verbindung	
Ethernet-WAN *	✔
DSL-WAN *	✘
SIM-Karten-Slot *	✘
3G/4G USB Modem-Kompatibilität *	✘
Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)
WLAN Datentransferrate (max.) *	1501 Mbit/s
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN-Datenübertragungsrate (erstes Band)	300 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	1201 Mbit/s
Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	Schnelles Ethernet
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Portweiterleitung	✔
Port-Auslösung	✔
Dynamisches DNS (DDNS)	✔
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
USB Anschluss *	✘

Sicherheit	
Unterstützte Sicherheitsalgorithmen	WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3
Firewall	✔
URL-Filterung	✔
DMZ-Unterstützung	✔
Protokolle	
Universal Plug and Play (UPnP)	✔
Design	
Produktfarbe	Schwarz
Produkttyp *	Tabletop-Router
Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
Lieferumfang	
Schnellinstallationsanleitung	✔
Antenne	
Antennen-Design *	Extern
Anzahl der Antennen	4
Energie	
Energiequelle *	AC
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 60 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date

Management-Funktionen	
Quality of Service (QoS) Support	✔
Reset-Knopf	✔

Gewicht und Abmessungen	
Breite	215 mm
Tiefe	117 mm
Höhe	32 mm

4895252500875

4895252500882

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date