TP-Link Archer C54 WLAN-Router Schnelles Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz





Marke : TP-Link

Artikel-Code: ARCHER C54

Produktname : Archer C54

TP-Link Archer C54. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 5 (802.11ac), WLAN Datentransferrate (max.): 867 Mbit/s. Schnittstellentyp Ethernet-LAN: Schnelles Ethernet, Ethernet LAN Datentransferraten: 10,100 Mbit/s, Netzstandard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n. Unterstützte Sicherheitsalgorithmen: WEP, WPA, WPA2, WPA2-Enterprise. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz. Antennen-Design: Extern

WAN-Verbindung	
Ethernet-WAN *	✔
DSL-WAN *	✔
SIM-Karten-Slot *	✘

Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 5 (802.11ac)
WLAN Datentransferrate (max.) *	867 Mbit/s
WLAN-Datenübertragungsrate (erstes Band)	867 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	300 Mbit/s

Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	Schnelles Ethernet
Ethernet LAN Datentransferraten	10,100 Mbit/s
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n
Portweiterleitung	✔
Port-Auslösung	✔
Dynamisches DNS (DDNS)	✔

Mobiles Netzwerk	
3G	✘
4G	✘

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4

Sicherheit	
Unterstützte Sicherheitsalgorithmen	WEP, WPA, WPA2, WPA2-Enterprise
Firewall	✔
Zugriffkontrollliste	✔
Zustandsorientierte Paketüberprüfung (SPI)	✔
DMZ-Unterstützung	✔

Protokolle	
DHCP-Client	✔
DHCP-Server	✔
Universal Plug and Play (UPnP)	✔

Design	
Produktfarbe	Schwarz
Produkttyp *	Tabletop-Router

Antenne	
Antennen-Design *	Extern
Anzahl der Antennen	4

Energie	
Energiequelle *	AC
Ausgangsspannung	9 V
Ausgangsstrom	0,85 A

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 60 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Management-Funktionen	
Quality of Service (QoS) Support	✔
Reset-Knopf	✔
WPS Sicherheit per Tastendruck	✔
MU-MIMO-Technologie	✔

Gewicht und Abmessungen	
Breite	115 mm
Tiefe	106,7 mm
Höhe	24,3 mm

6935364089337

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-JUL-2026. Prints or copies of Information are only valid on the printed Publication date