TP-Link Archer AX18 WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz





Marke : TP-Link **Produktfamilie:** Archer **Artikel-Code:** ARCHER AX18

Produktname : Archer AX18

TP-Link Archer AX18. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN Datentransferrate (max.): 1500 Mbit/s. Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA2-Enterprise, WPA2-PSK, WPA2-Personal, WPA3, WPA3-PSK, Firewall: SPI Firewall. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz, LED-Anzeigen: LAN, Leistung, WAN. Antennen-Design: Extern

WAN-Verbindung	
Ethernet-WAN *	✔
DSL-WAN *	✘
SIM-Karten-Slot *	✘
3G/4G USB Modem-Kompatibilität *	✘

Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)
WLAN Datentransferrate (max.) *	1500 Mbit/s
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN-Datenübertragungsrate (erstes Band)	300 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	1201 Mbit/s

Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Portweiterleitung	✔
Port-Auslösung	✔
Dynamisches DNS (DDNS)	✔
Anzahl der Gastnetzwerke (2,4 GHz)	1
Anzahl der Gastnetzwerke (5 GHz)	1
Integrierter FTP-Server	✔

Anschlüsse und Schnittstellen

Sicherheit	
Unterstützte Sicherheitsalgorithmen	WPA2-Enterprise, WPA2-PSK, WPA2-Personal, WPA3, WPA3-PSK
Firewall	✔
Firewall	SPI Firewall
Gastzugang	✔
Kontrolle durch Eltern	✔
URL-Filterung	✔
Systemereignisprotokoll	✔
DMZ-Unterstützung	✔

Protokolle	
DHCP-Client	✔
DHCP-Server	✔
Universal Plug and Play (UPnP)	✔

Design	
Produktfarbe	Schwarz
LED-Anzeigen	LAN, Leistung, WAN
Produkttyp *	Tabletop-Router

Antenne	
Antennen-Design *	Extern
Anzahl der Antennen	4

Energie	
Energiequelle *	Gleichstrom
Ausgangsspannung	12 V
Ausgangsstrom	1 A

Betriebsbedingungen

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
USB Anschluss *	✗
Gleichstrom-Anschluss (DC)	✓

Management-Funktionen	
Quality of Service (QoS) Support	✓
Reset-Knopf	✓
WPS Sicherheit per Tastendruck	✓

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 60 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Gewicht und Abmessungen	
Breite	215 mm
Tiefe	117 mm
Höhe	32 mm

Verpackungsdaten	
Verpackungsart	Box

4895252505009

4895252504996

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 30-JUL-2026. Prints or copies of Information are only valid on the printed Publication date