TP-Link Omada EAP725-Outdoor 5000 Mbit/s Weiß Power over Ethernet (PoE)



Marke : TP-Link

Produktfamilie: Omada

Artikel-Code: EAP725-OUTDOOR

Produktname : EAP725-Outdoor

- Richt- und Rundstrahlantennen: Freier Wechsel zwischen den Modi per Software für optimale Signalkontrolle
- Plug-&-Play-Auto-Sensing-Antennen: Erkennen Antennenänderungen automatisch und wechseln je nach Bedarf zwischen internen und externen Antennen
- 4-Stream Dual-Band Wi-Fi 7: Bis zu 5,0 Gbit/s
- 1× 2,5G PoE Port: Flexible PoE-Bereitstellung reduziert Kosten, da Strom und Daten über ein einziges Ethernet-Kabel übertragen werden
- Für den Außeneinsatz ausgelegte Robustheit: Mit IP66-zertifiziertem, wetterfestem Gehäuse und 6-kV-Blitzschutz
- Schnelle und einfache Einrichtung: Unterstützt Wand- und Mastmontage mit Omada SDN für eine Einrichtung per One-Click
- Erweiterte Funktionen: Zentrales Management, Mesh und nahtloses Roaming

Wi-Fi 7, 1x RJ-45, IP66, OFDMA, QoS, MLO, PoE+

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	5000 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	688 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	4324 Mbit/s
Ethernet LAN Datentransferraten	10,100,1000,2500 Mbit/s
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v, IEEE 802.1x, IEEE 802.3at
Verkabelungstechnologie	10/100/1000/2500Base-T
Bluetooth	✔
Bluetooth-Version	5.2
Bluetooth Low Energy (BLE)	✔
WLAN-Multimedia (WMM)/(WME)	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Management VLAN
Ratenbeschränkung	✔
Kabellose Isolierung	✔

Management-Funktionen	
Cloud-verwaltet	✔
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1
Energie	
Power over Ethernet (PoE) *	✔
Power-over-Ethernet (PoE)-Typ unterstützt	PoE+
Stromverbrauch (max.)	18,4 W
Design	
Platzierung *	Stange, Wand
Produktfarbe *	Weiß
Internationale Schutzart (IP-Code)	IP66
Reset-Knopf	✔
LED-Anzeigen	Status
Antenne	
Antennentyp *	Intern & extern
Anzahl der Antennen	8
Antenne Zunahmeniveau (max)	13,2 dBi

Merkmale	
Bandsteuerung	✔
Quality of Service (QoS) Support	✔
BeamForming	✔

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	OWE, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal
MAC Adressen Filtern	✔
Funktionen Service Set Identifier (SSID)	Multiple SSIDs
Anzahl der SSID-Unterstützung	16
Zugriff planen	✔

Management-Funktionen	
Web-basiertes Management	✔
Syslog	✔

Zertifikate	
Konformitätsbescheinigungen	BSMI, CE, Eidgenössische Kommunikationskommission (FCC), Industry Canada (IC), JRF, NCC, RoHS, VCCI

Gewicht und Abmessungen	
Breite	208 mm
Tiefe	160 mm
Höhe	55 mm
Gewicht	1,33 kg

Lieferumfang	
Menge pro Packung	1 Stück(e)
Montageset	✔

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-30 - 70 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 90%

1210002610995

0840460604512

840460604512

1210002611008

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date