ZYXEL

Zyxel NWA55BE 5100 Mbit/s Weiß Power over Ethernet (PoE)





Marke : Zyxel

Artikel-Code: NWA55BE-EU0102F

Produktname : NWA55BE

Zyxel NWA55BE. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 5100 Mbit/s. Unterstützte Sicherheitsalgorithmen: WEP, WPA, WPA2, WPA3, 802.1x RADIUS. Power over Ethernet (PoE). Produktfarbe: Weiß

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
Maximale Datenübertragungsrate *	5100 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	688 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	4324 Mbit/s
Bandbreite	0,24 GHz
Netzstandard	IEEE 802.11be, IEEE 802.11ax, IEEE 802.11ac, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, IEEE 802.11a, IEEE 802.3at, IEEE 802.3bt
WLAN-Multimedia (WMM)/(WME)	✔
Schnelles Roaming	✔
VLAN-Unterstützung	✔
Kabellose Isolierung	✔
Bandsteuerung	✔
Zellulärer Koexistenzfilter (CCF)	✔
Übermittlungsleistung	26 dBmW
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	631165 h

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WEP, WPA, WPA2, WPA3, 802.1x RADIUS
MAC Adressen Filtern	✔
Automatisches kabelloses Verteilersystem (WDS)	✔

Design	
Platzierung *	Wand
Produktfarbe *	Weiß
Internationale Schutzart (IP-Code)	IP55

Antenne	
Antennentyp *	Extern
Antennenfunktionen	Abnehmbare Antenne
Anzahl der Antennen	2
Antenne Zunahmeniveau (max)	3 dBi

Leistungen	
Eingebauter Prozessor	✔

Zertifikate	
Konformitätsbescheinigungen	Eidgenössische Kommunikationskommission (FCC)
Zertifizierung	FCC Part 15C, FCC Part 15E, FCC Part 2.1091, ETSI EN 300 328, EN 301 893, Draft EN 303 687, EN 50385, EN 50665, EN IEC 62311, LP0002, FCC Part 15B, EN 301 489-1, EN 301 489-17, EN55032, EN55035, EN61000-3-2/-3, EN60601-1-2, BSMI CNS15936, EN 62368-1, IEC 62368-1, BSMI CNS15598-1

Gewicht und Abmessungen	
Breite	308 mm
Tiefe	136,4 mm
Höhe	49,6 mm

Management-Funktionen	
Kommandozeilen-Schnittstelle (CLI)	✔
Cloud-verwaltet	✔
Upgradefähige Firmware	✔

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1

Energie	
Power over Ethernet (PoE) *	✔
Stromverbrauch (Standardbetrieb)	24 W

Gewicht und Abmessungen	
Gewicht	575,6 g

Verpackungsdaten	
Verpackungsbreite	221 mm
Verpackungstiefe	188 mm
Verpackungshöhe	59 mm
Paketgewicht	984,5 g

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-25 - 65 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	10 - 90%

4718937650385

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date