Intellinet 509220 Netzwerk-Switch Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Weiß





Marke : Intellinet

Artikel-Code: 509220

Produktname : 509220

Intellinet 509220. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)

Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Netzwerk	
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x
unterstütze Kabeltypen	Cat5e, Cat6, Cat6a, Cat8.1
Auto MDI/MDI-X	✔
Selbstlernen von MAC-Adressen unterstützt	✔
Auto-Alterung von MAC-Adressen unterstützt	✔
Datenübertragung	
Routing-/Switching-Kapazität *	10 Gbit/s
Transferrate	7,44 Mpps
MAC-Adressentabelle *	2000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9216
Datenpaket-Pufferspeicher	2 MB
Design	

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Gesamtleistung Power over Ethernet (PoE)	85 W
Betriebsbedingungen	
Betriebstemperatur	-40 - 80 °C
Temperaturbereich bei Lagerung	-40 - 80 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%
Luftfeuchtigkeit bei Lagerung	0 - 95%
Gewicht und Abmessungen	
Breite	206 mm
Tiefe	299 mm
Höhe	65 mm
Gewicht	1 kg
Lieferumfang	
Betriebsanleitung	✔
Verpackungsdaten	
Verpackungsbreite	310 mm
Verpackungstiefe	350 mm
Verpackungshöhe	90 mm
Paketgewicht	1,3 kg
Zertifikate	
Konformitätsbescheinigungen	CE, RoHS

Design	
Rack-Einbau *	✕
Stapelbar *	✕
Produktfarbe	Weiß
Gehäusematerial	Kunststoff
LED-Anzeigen	Link, PoE, Leistung
Internationale Schutzart (IP-Code)	IP65

Leistungen	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	50000 h

Energie	
Energiequelle *	PoE

Zertifikate	
Zertifizierung	FCC, CE, RoHS, UKCA, NDAA

Logistikdaten	
Breite des Versandkartons	365 mm
Länge des Versandkartons	565 mm
Höhe des Versandkartons	335 mm
Gewicht Versandkarton	6,93 kg
Anzahl Produkte pro Versandkarton	6 Stück(e)



0766623509220



766623509220

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date