LevelOne FEP-0511 Netzwerk-Switch Fast Ethernet (10/100) Power over Ethernet (PoE) Grau



Marke : LevelOne **Artikel-Code:** FEP-0511

Produktname : FEP-0511

LevelOne FEP-0511. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. Vollduplex. MAC-Adressentabelle: 1000 Eintragungen. Netzstandard: IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)

Netzwerk	
Netzstandard *	IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✗
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX
Vollduplex	✓
Unterstützung Datenflusssteuerung	✓
Auto MDI/MDI-X	✓
Auto-Negotiation-Funktion	✓

Datenübertragung	
MAC-Adressentabelle *	1000 Eintragungen
Store-and-Forward	✓
Paketweiterleitungsrate (100 Mbit/s)	148000 pps
Paketweiterleitungsrate (10 Mbit/s)	14880 pps

Design	
Produktfarbe	Grau
LED-Anzeigen	Aktivität, PoE, Leistung

Leistungen	
Puffergröße	48 KB

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Eingangsstrom	2 A
Stromverbrauch (Standardbetrieb)	65 W
Energieschutzeigenschaften	Überstrom

Power over Ethernet (PoE)	
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Gesamtleistung Power over Ethernet (PoE)	62 W

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	10 - 90%

Gewicht und Abmessungen	
Breite	122 mm
Tiefe	44 mm
Höhe	160 mm
Gewicht	800 g

Lieferumfang	
Mitgelieferte Kabel	AC
Schnellstartübersicht	✓

Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	145 mm
Verpackungstiefe	80 mm
Verpackungshöhe	235 mm
Paketgewicht	1,1 kg

Logistikdaten	
Ursprungsland	Taiwan
Breite des Versandkartons	310 mm
Länge des Versandkartons	252 mm
Höhe des Versandkartons	422 mm
Warentarifnummer (HS)	85176990
Gewicht Versandkarton	12,5 kg
Anzahl Produkte pro Versandkarton	10 Stück(e)

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔

4015867195840

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date