LevelOne UPS-2103 Unterbrechungsfreie Stromversorgung (USV) Doppelwandler (Online) 3 kVA 3000 W 8 AC-Ausgänge



Marke : LevelOne

Artikel-Code: UPS-2103

Produktname : UPS-2103



LevelOne UPS-2103. USV-Topologie: Doppelwandler (Online), Ausgangskapazität: 3 kVA, Ausgangsleistung: 3000 W. AC-Steckertypen: C13-Koppler, C19-Koppler, Anzahl der AC-Ausgänge: 8 AC-Ausgänge, USB-Port-Typ: USB Typ-B. Akku-/Batterietechnologie: Bleisäure, Batteriekapazität: 9000 Ah, Akku-/Batteriespannung: 72 V. Formfaktor: Rackmount/Tower, Produktfarbe: Schwarz, Steuerung: Tasten. Konformitätsbescheinigungen: CE, Eidgenössische Kommunikationskommission (FCC), RoHS

Merkmale	
USV-Topologie *	Doppelwandler (Online)
Ausgangskapazität *	3 kVA
Ausgangsleistung *	3000 W
Wellenform *	Sine
Eingangs-Betriebsspannung (min) *	160 V
Eingangs-Betriebsspannung (max) *	300 V
Eingangsfrequenz *	50/60 Hz
Ausgangs-Betriebsspannung (min)	200 V
Ausgangs-Betriebsspannung (max)	240 V
Output Frequenz	50/60 Hz
Leistungsfaktor	1
Notstrom Aus (EPO)	✔
Akustische Signale	✔
Akustische Alarm-Modi	Alarm bei Batteriebetrieb, Störung, Warnung bei geringer Batterie, Überlastungsalarm

Anschlüsse und Schnittstellen	
AC-Steckertypen	C13-Koppler, C19-Koppler
Anzahl der AC-Ausgänge	8 AC-Ausgänge
USB Anschluss	✔
Anzahl USB 2.0 Anschlüsse	1
USB-Port-Typ	USB Typ-B
Serielle Schnittstelle	✔
Serielle Schnittstelle	RS-232
Anzahl serielle Anschlüsse	1
RS-232 port	1
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	2
Notaus-Steckverbinder (EPO)	✔

Akku/Batterie	
Akku-/Batterietechnologie	Bleisäure

Akku/Batterie	
Batteriekapazität	9000 Ah
Akku-/Batteriespannung	72 V
Anzahl enthaltener Akkus/Batterien	6 Stück(e)
Akku-Ladezeit (90 %)	3 h
Batteriekapazität	108 Wh
Akku	✔

Design	
Formfaktor *	Rackmount/Tower
Produktfarbe *	Schwarz
Steuerung	Tasten
Display-Typ	LCD
Internationale Schutzart (IP-Code)	IP20

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS

Lieferumfang	
Akkus/Batterien enthalten	✔
Rackmontageset	✔
Mitgelieferte Kabel	Eingangskabel, USB-Kabel
Betriebsanleitung	✔
Schnellinstallationsanleitung	✔

Gewicht und Abmessungen	
Breite	600 mm
Tiefe	438 mm
Höhe	85,5 mm
Gewicht	26,3 kg

Verpackungsdaten	
Verpackungsart	Box

4015867235034

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date