TP-Link FESTA FS308GP Netzwerk-Switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Weiß

Marke : TP-Link

Artikel-Code: FESTA FS308GP

Produktname : FESTA FS308GP



TP-Link FESTA FS308GP. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8, Anzahl installierten SFP Module: 2. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at. DC input Spannung: 53.5 V. Power over Ethernet (PoE). Rack-Einbau



Management-Funktionen	
Switch-Typ *	Managed
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl installierten SFP Module *	2
Netzwerk	
Netzstandard *	IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at
10G-Unterstützung *	✗
Unterstützung Datenflusssteuerung	✓
Link Aggregation	✓
Broadcast-Sturmkontrolle	✓
Ratenbeschränkung	✓
Spannbaum-Protokoll	✓
VLAN-Unterstützung	✓
Datenübertragung	
Routing-/Switching-Kapazität *	16 Gbit/s
Transferrate	11,9 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Jumbo Frames Unterstützung	✓
Jumbo-Frames	9
Datenpaket-Pufferspeicher	4,1 MB
Sicherheit	
DHCP-Funktionen	DHCP relay, DHCP server

Design	
Stapelbar *	✗
Produktfarbe	Weiß
Reset-Knopf	✓
Leistungen	
Upgradefähige Firmware	✓
Ventilatorlos	✓
Energie	
Energiequelle *	Gleichstrom
DC input Spannung	53.5 V
Eingangsstrom	1.31 A
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✓
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Gesamtleistung Power over Ethernet (PoE)	62 W
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Gewicht und Abmessungen	
Breite	209 mm
Tiefe	126 mm
Höhe	26 mm

Sicherheit	
IGMP-Snooping	✔
Protokolle	
IPv4 & IPv6-Funktionen	IPv4/IPv6 access-control list (ACL)
Design	
Rack-Einbau *	✔

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS

8885020621440

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date