TP-Link Omada AX1800 1201 Mbit/s Weiß



Marke : TP-Link **Produktfamilie:** Omada **Artikel-Code:** EAP615GP-WALL

Produktname : AX1800

TP-Link Omada AX1800. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 1201 Mbit/s. Unterstützte Sicherheitsalgorithmen: SNMP, SNMPv2, SNMPv3, SSH, WPA-Personal, WPA2-Personal, WPA3-Personal. Ethernet LAN Datentransferraten: 1000 Mbit/s. Produktfarbe: Weiß

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	1201 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	574 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	1201 Mbit/s
Ethernet LAN Datentransferraten	1000 Mbit/s
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Zahl der Benutzer	120 Benutzer
Kanalabstand	80 MHz
MIMO	✔
MIMO-Typ	Multi User MIMO
Spread-Spectrum Methode	OFDMA
WLAN-Roaming	✔
VLAN-Unterstützung	✔
Ratenbeschränkung	✔
Kabellose Isolierung	✔
Bandsteuerung	✔
Airtime Fairness (ATF)	✔
Quality of Service (QoS) Support	✔
BeamForming	✔
Sendeleistung (CE)	20 dbm
Sendeleistung (FCC)	21 dbm

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	SNMP, SNMPv2, SNMPv3, SSH, WPA-Personal, WPA2-Personal, WPA3-Personal
MAC Adressen Filtern	✔
Funktionen Service Set Identifier (SSID)	Multiple SSIDs, SSID-Übertragung ein/aus
Anzahl der SSID-Unterstützung	16
Fernauthentifizierungs-Einwähl-Benutzerdienst (RADIUS)	✔

Management-Funktionen	
Web-basiertes Management	✔
Syslog	✔

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	2

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Eingangsstrom	0.5 A
Stromverbrauch (Standardbetrieb)	12,2 W

Design	
Platzierung *	Wand
Produktfarbe *	Weiß
Reset-Knopf	✔
LED-Anzeigen	Leistung

Antenne	
Antennentyp *	Intern
Antennenrichtungsart	Mit kugelförmiger Richtcharakteristik
Anzahl der Antennen	2
Antenne Zunahmeniveau (max)	6,5 dBi

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
Zertifizierung	CE, FCC, RoHS, IC

Gewicht und Abmessungen	
Breite	143 mm
Tiefe	86 mm
Höhe	37,6 mm
Gewicht	320 g

Lieferumfang	
Menge pro Packung	1 Stück(e)
Montageset	✔
Schnellstartübersicht	✔

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 90%

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔

8885020620528

8885020620535

0810142820257

810142820257

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date