SAMSUNG

Samsung QM98C Digital Signage Flachbildschirm 2,49 m (98") LCD WLAN 500 cd/m² 4K Ultra HD Schwarz Tizen 7.0 24/7



Marke : Samsung

Artikel-Code: LH98QMCEBGCXEN

Produktname : QM98C

Samsung QM98C. Produktdesign: Digital Signage Flachbildschirm. Bildschirmdiagonale: 2,49 m (98"), Bildschirmtechnologie: LCD, Display-Auflösung: 3840 x 2160 Pixel, Helligkeit: 500 cd/m², HD-Typ: 4K Ultra HD. WLAN. Betriebszeiten (Stunden/Tage): 24/7. Installiertes Betriebssystem: Tizen 7.0. Produktfarbe: Schwarz



Bildschirm	
Panel-Typ	VA
Bildschirmdiagonale *	2,49 m (98")
Bildschirmtechnologie *	LCD
Display-Auflösung *	3840 x 2160 Pixel
Helligkeit *	500 cd/m²
HD-Typ *	4K Ultra HD
Touchscreen *	✗
Natives Seitenverhältnis	16:9
Reaktionszeit	8 ms
Kontrastverhältnis	5500:1
Dynamisches Kontrastverhältnis Marketingbezeichnung	Mega-Kontrast
Bildwinkel, horizontal	178°
Bildwinkel, vertikal	178°
Pixel Abstand	0,562 x 0,562 mm
Farbsättigung	25%
Horizontaler Scanbereich	30 - 81 kHz
Vertikaler Scanbereich	48 - 75 Hz

Anschlüsse und Schnittstellen	
Anzahl HDMI-Anschlüsse *	3
HDMI-Version	2.0
Anzahl DisplayPort Anschlüsse *	1
DisplayPorts in	1
DisplayPorts-Version	1.2
USB Anschluss *	✓
Anzahl der USB-Anschlüsse	2
RS232	✓

Design	
Produktdesign *	Digital Signage Flachbildschirm
Unterstützte Positionierung *	Drinnen
Produktfarbe *	Schwarz
VESA-Halterung *	✓
Panel-Montage-Schnittstelle	600 x 400 mm

Leistungen	
Betriebszeiten (Stunden/Tage)	24/7
HDCP	✓
HDCP-Version	2.2

Energie	
Stromverbrauch (Standardbetrieb) *	363 W
Stromverbrauch (Standby) *	0,5 W
Eingangsspannung	100-240 V
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz

Computersystem	
Speicherkapazität	16 GB
Installiertes Betriebssystem	Tizen 7.0

Gewicht und Abmessungen	
Displaybreite	2193,2 mm
Display Tiefe	48,1 mm
Display Höhe	1248,8 mm
Displaygewicht	56,3 kg

Verpackungsdaten	
Verpackungsbreite	2370 mm
Verpackungstiefe	230 mm
Verpackungshöhe	1395 mm
Paketgewicht	77,2 kg

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 80%

Netzwerk	
Ethernet/LAN *	✓
WLAN *	✓

Sonstige Funktionen	
Audioausgang	1
RS-232 Eingangs-Ports	1
RS-232 Ausgangs-Ports	1

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date

Leistungen		Sonstige Funktionen	
Zweck *	Universal	RJ-45-Eingangsanschlüsse	1

8806095638416

8592978602130

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date