Aerocool D301A Mini Tower Weiß, Holz





Marke : Aerocool

Artikel-Code: ACCS-DS03043.21

Produktname : D301A

Aerocool D301A. Formfaktor: Mini Tower, Typ: PC, Produktfarbe: Weiß, Holz. Platzierung der Stromversorgung: Boden, Unterstützte Stromversorgungs-Formfaktoren: ATX. Durchmesser unterstützte Vorderseitenlüfter: 120,140 mm, Durchmesser unterstützte Seitenlüfter: 120,140 mm, Durchmesser unterstützter Rückseitenlüfter: 120 mm. Unterstützte Hard-Disk Drive Größen: 2.5,3.5". Breite: 225 mm, Tiefe: 463,8 mm, Höhe: 444 mm

Design	
Material	Acrylnitril-Butadien-Styrol (ABS), SPCC
Formfaktor *	Mini Tower
Typ *	PC
Produktfarbe *	Weiß, Holz
Unterstützte Motherboards Formfaktoren *	micro ATX, Mini-ITX
Anzahl der 3,5" Erweiterungseinschübe *	1
Anzahl der 2,5" Erweiterungseinschübe	2
Anzahl der internen 3,5" Erweiterungseinschübe	1
Anzahl der Erweiterungsslots	5
Seitenfenster	✔
Geeignet für	Gaming
Gehärtete(s) Glaspaneel(e)	✔
Anti-Staubfilter	✔
Verbessertes Kabelmanagement	✔
Reset-Knopf	✔
Ein-/Ausschalter	✔
LED-Anzeigen	✔
Max CPU Kühler-Höhe	16,6 cm
Max Grafikkarten-Länge	41 cm

Stromversorgung	
Netzteil enthalten *	✘
Platzierung der Stromversorgung	Boden
Unterstützte Stromversorgungs-Formfaktoren	ATX

Kühlung	
Anzahl unterstützter vorderer Lüfter (max.)	3
Durchmesser unterstützte Vorderseitenlüfter	120,140 mm
Anzahl unterstützter Seitenlüfter (max.)	2
Durchmesser unterstützte Seitenlüfter	120,140 mm
Anzahl der unterstützten hinteren Lüfter (max.)	1
Durchmesser unterstützter Rückseitenlüfter	120 mm
Anzahl der unterstützten oberen Lüfter (max.)	3
Unterstützte Lüfterdurchmesser (oben)	120,140 mm
Anzahl unterstützter unterer Lüfter (max.)	2
Durchmesser unterstützte Unterlüfter	120 mm
Flüssigkeitskühlungsfähigkeit	✔
Unterstützte Radiatorgrößen vorne	120,140,240,280,360 mm
Unterstützte Radiatorgrößen hinten	120 mm
Unterstützte Radiatorgrößen oben	120,140,240,280,360 mm

Speichermedium	
Unterstützte Hard-Disk Drive Größen *	2.5,3.5"

Gewicht und Abmessungen	
Breite	225 mm
Tiefe	463,8 mm
Höhe	444 mm

Anschlüsse und Schnittstellen	
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A *	2
USB 3.2 Gen 2 (3.1 Gen 2) Anzahl der Anschlüsse vom Typ C *	1
Kombinierter Kopfhörer-/Mikrofon-Anschluss	✔

Gewicht und Abmessungen	
Materialdicke	0,5 mm

4711099479771

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-AUG-2026. Prints or copies of Information are only valid on the printed Publication date