APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC

Marke : APC

Artikel-Code: SRTL3KRM1UINC



Produktname : APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC

APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC
APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC. USV-Topologie: Doppelwandler (Online), Ausgangskapazität: 3 kVA, Ausgangsleistung: 3000 W. AC-Steckertypen: C13-Koppler, C19-Koppler, Stecker: Typ F, Anzahl der AC-Ausgänge: 5 AC-Ausgänge. Akku-/Batterietechnologie: Lithium-Ion (Li-Ion), Akku-/Batteriespannung: 50 V, Akkuladezeit: 1,5 h. Formfaktor: Rackmount, Produktfarbe: Grau, Silber, Rack-Kapazität: 1U. Konformitätsbescheinigungen: RoHS, Zertifizierung: CE UKCA CE Mark UKCA EN/IEC 62040-1



Merkmale	
USV-Topologie *	Doppelwandler (Online)
Ausgangskapazität *	3 kVA
Ausgangsleistung *	3000 W
Wellenform *	Sine
Eingangs-Betriebsspannung (min) *	160 V
Eingangs-Betriebsspannung (max) *	275 V
Eingangsfrequenz *	50/60 Hz
Output Frequenz	50/60 Hz
Geräuschpegel	55 dB
Akustische Signale	✔

Anschlüsse und Schnittstellen	
AC-Steckertypen	C13-Koppler, C19-Koppler
Stecker	Typ F
Anzahl der AC-Ausgänge	5 AC-Ausgänge
USB Anschluss	✔
Anzahl USB 2.0 Anschlüsse	1
USB-Port-Typ	USB Typ-A
SmartSlot	✔
SmartConnect-Anschluss	✘

Akku/Batterie	
Akku-/Batterietechnologie	Lithium-Ion (Li-Ion)
Akku-/Batteriespannung	50 V
Akkuladezeit	1,5 h

Design	
Formfaktor *	Rackmount
Rack-Kapazität	1U
Kabellänge	2,44 m

Design	
Displaytyp	LCD
Internationale Schutzart (IP-Code)	IP20

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-15 - 45 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Luftfeuchtigkeit bei Lagerung	0 - 95%
Höhe bei Betrieb	0 - 3048 m
Höhe bei Lagerung	0 - 15240 m

Zertifikate	
Konformitätsbescheinigungen	RoHS
Zertifizierung	CE UKCA CE Mark UKCA EN/IEC 62040-1

Lieferumfang	
Management-Karte enthalten	✔

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔
Nachhaltigkeitszertifikate	Green Premium

Gewicht und Abmessungen	
Breite	432 mm
Tiefe	560 mm
Höhe	43 mm
Gewicht	15,9 kg

Verpackungsdaten	
Verpackungsbreite	564 mm
Verpackungstiefe	764 mm

Design		Verpackungsdaten	
Produktfarbe *	Grau, Silber	Verpackungshöhe	278 mm
Steuerung	Tasten, Berührung	Paketgewicht	24,2 kg



0731304573562



731304573562

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 16-SEP-2026. Prints or copies of Information are only valid on the printed Publication date