AXAGON

Axagon ADE-TRC SuperSpeed USB-C Gigabit Ethernet Adapter

Marke : Axagon

Artikel-Code: ADE-TRC

Produktname : ADE-TRC SuperSpeed USB-C Gigabit Ethernet Adapter



ADE-TRC SuperSpeed USB-C gigabit ethernet adapter
Axagon ADE-TRC SuperSpeed USB-C Gigabit Ethernet Adapter. Übertragungstechnik: Kabelgebunden, Hostschnittstelle: USB Typ-C, Schnittstelle: Ethernet. Maximale Datenübertragungsrate: 1000 Mbit/s. USB. Produktfarbe: Grau



Anschlüsse und Schnittstellen	
Übertragungstechnik *	Kabelgebunden
Hostschnittstelle *	USB Typ-C
Schnittstelle *	Ethernet
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1
USB-Version	2.0/3.2 Gen 1 (3.1 Gen 1)

Netzwerk	
Maximale Datenübertragungsrate *	1000 Mbit/s
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u
Ethernet/LAN	✔
Ethernet Schnittstellen Typ	Gigabit Ethernet
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Wake-on-LAN bereit	✔
Vollduplex	✔
Jumbo Frames Unterstützung	✔
VLAN-Unterstützung	✔
LAN-Controller	Realtek RTL8153

Design	
Komponente für *	PC/Laptop
Produktfarbe	Grau
Eingebaut *	✘
Chipsatz	Realtek RTL8153
Plug & Play	✔
LED-Anzeigen	✔
Ursprungsland	China
Zertifizierung	CE, RoHS

Energie	
USB	✔

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP
Unterstützt Mac-Betriebssysteme	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Unterstützte Linux-Betriebssysteme	Kernel 2.6.31, Kernel 2.6.33
Unterstützung anderer Betriebsysteme	Android
Unterstützte Server-Betriebssysteme	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64

Gewicht und Abmessungen	
Breite	24 mm
Tiefe	16 mm
Höhe	59 mm
Gewicht	26 g

Verpackungsdaten	
Verpackungsbreite	100 mm
Verpackungstiefe	28 mm

Verpackungsdaten	
Verpackungshöhe	203 mm
Paketgewicht	63 g
Lieferumfang	
Betriebsanleitung	✔
Technische Details	
Garantiezeit	3 Jahr(e)
Konformitätsbescheinigungen	RoHS, CE

8595247905574

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 18-SEP-2026. Prints or copies of Information are only valid on the printed Publication date