APC BX2200MI-FR Unterbrechungsfreie Stromversorgung (USV) Line-Interaktiv 2,2 kVA 1200 W



Marke : APC

Artikel-Code: BX2200MI-FR

Produktname : BX2200MI-FR

2200VA, 230V, AVR, 4x französische Steckdosen, schwarz
APC BX2200MI-FR. USV-Topologie: Line-Interaktiv, Ausgangskapazität: 2,2 kVA, Ausgangsleistung: 1200 W. AC-Steckertypen: Typ E, Stecker: Typ F, USB-Port-Typ: USB Typ-B. Akku-/Batterietechnologie: Plombierte Bleisäure (VRLA), Typische Backup-Zeit bei voller Belastung: 1 min, Typische Backup-Zeit bei halber Belastung: 8,5 min. Formfaktor: Kompakt, Produktfarbe: Schwarz, Kabellänge: 1,2 m. Konformitätsbescheinigungen: RoHS, Zertifizierung: CB Meet EN62040-1 / CE / IEC-62040-1 / IEC-62040-2



Merkmale	
USV-Topologie *	Line-Interaktiv
Ausgangskapazität *	2,2 kVA
Ausgangsleistung *	1200 W
Wellenform *	Sine
Eingangs-Betriebsspannung (min) *	140 V
Eingangs-Betriebsspannung (max) *	300 V
Eingangsfrequenz *	50/60 Hz
Ausgangs-Betriebsspannung (min)	230 V
Ausgangs-Betriebsspannung (max)	230 V
Output Frequenz	50/60 Hz
Regulierung der Ausgangsfrequenz	0.5 Hz
Regulierung der Ausgangsspannung	10%
Automatische Spannungsregulierung	✔
Reaktionszeit	6 ms
Eingangs-Leistungsfaktor	0,54
Geräuschpegel	40 dB
Druckanstiegsschutz	✔
Akustische Signale	✔
Akustische Alarm-Modi	Warnung bei geringer Batterie

Anschlüsse und Schnittstellen	
AC-Steckertypen	Typ E
Stecker	Typ F
USB Anschluss	✔
Anzahl USB 2.0 Anschlüsse	1
USB-Port-Typ	USB Typ-B
SmartSlot	✘
SmartConnect-Anschluss	✘

Akku/Batterie	
Typische Backup-Zeit bei halber Belastung	8,5 min
Batterielebensdauer (max.)	2 Jahr(e)
Akkuladezeit	8 h

Design	
Formfaktor *	Kompakt
Kabellänge	1,2 m
Eingebauter Ventilator	✔
Produktfarbe *	Schwarz
LED-Anzeigen	✔
Internationale Schutzart (IP-Code)	IP20

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-15 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Höhe bei Betrieb	0 - 3000 m

Zertifikate	
Konformitätsbescheinigungen	RoHS
Zertifizierung	CB Meet EN62040-1 / CE / IEC-62040-1 / IEC-62040-2

Lieferumfang	
Mitgelieferte Kabel	Eingangskabel
Management-Karte enthalten	✘
Betriebsanleitung	✔

Gewicht und Abmessungen	
Breite	140 mm

Akku/Batterie	
Akku-/Batterietechnologie	Plombierte Bleisäure (VRLA)
Typische Backup-Zeit bei voller Belastung	1 min

Gewicht und Abmessungen	
Tiefe	390 mm
Höhe	190 mm
Gewicht	12,3 kg

Verpackungsdaten	
Verpackungsbreite	235 mm
Verpackungstiefe	495 mm
Verpackungshöhe	297 mm
Paketgewicht	13,3 kg

Logistikdaten	
Warentarifnummer (HS)	85078000

731304420514

0731304420514

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 13-OCT-2026. Prints or copies of Information are only valid on the printed Publication date