Cudy AP3600 WLAN Access Point 3570 Mbit/s Weiß Power over Ethernet (PoE)



Marke : Cudy

Artikel-Code: AP3600

Produktname : AP3600

- Broadcom 2 GHz Quad-Core CPU
- 4-Stream Dual-Band Wi-Fi 7
- 2882 Mbit/s + 688 Mbit/s WLAN
- 1× 2.5GbE PoE In, 1× GbE PoE Out
- 802.3at, Passives PoE, DC
- Watchdog, Neustart plan
- Multi-AP Management 2
- Captive Portal, Multi-SSID
- 200 angeschlossene Geräte
- Deckt 120 m² ab

BE3600 2.5G Wi-Fi 7 Access Point

Cudy AP3600 WLAN Access Point 3570 Mbit/s Weiß Power over Ethernet (PoE):

Ein wand-/deckenmontierter WiFi 7-AP, der für Einkaufszentren, Büros, Campusgelände und andere Szenarien mit hoher Dichte entwickelt wurde und über einen 2,5-G-PoE-Eingangsanschluss und einen PoE-Ausgangsanschluss verfügt.
Cudy AP3600. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 3570 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA, WPA2, WPA3. Ethernet LAN Datentransferraten: 10,100,1000,2500 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 10 W

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	3570 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	688 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	2882 Mbit/s
Ethernet LAN Datentransferraten	10,100,1000,2500 Mbit/s
Netzstandard	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af, IEEE 802.3at
Bluetooth	✘
MIMO	✔
MIMO-Typ	Multi User MIMO
VLAN-Unterstützung	✔
Quality of Service (QoS) Support	✔
Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WPA, WPA2, WPA3
Anzahl der SSID-Unterstützung	8
Gastzugang	✔
IGMP-Snooping	✔
Protokolle	
DHCP-Server	✔
Management-Funktionen	
Syslog	✔
Cloud-verwaltet	✔

Design	
Produktfarbe *	Weiß
Reset-Knopf	✔
LED-Anzeigen	System
Antenne	
Antennentyp *	Intern
Anzahl der Antennen	4
Antenne Zunahmeniveau (max)	5,5 dBi
Leistungen	
Eingebauter Prozessor	✔
Prozessortaktfrequenz	2000 MHz
Flash-Speicher	128 MB
Speicherkapazität	512 MB
Technische Details	
Menge pro Versandkarton	10 Stück(e)
Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC)
Gewicht und Abmessungen	
Breite	231,9 mm
Tiefe	231,9 mm
Höhe	57,1 mm
Gewicht	435 g
Verpackungsdaten	
Verpackungsbreite	310 mm
Verpackungstiefe	238 mm
Verpackungshöhe	73 mm
Paketgewicht	843 g

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	2
Gleichstrom-Anschluss (DC)	✔

Energie	
Power over Ethernet (PoE) *	✔
Power-over-Ethernet (PoE)-Typ unterstützt	Passive PoE
DC Spannungsrange	48-57 V
Ausgangsspannung	12 V
Ausgangsstrom	1 A
Stromverbrauch (max.)	10 W

Design	
Platzierung *	Zimmerdecke, Wand

Lieferumfang	
AC-Netzadapter	✘
PoE-Adapter enthalten (Power over Ethernet)	✘
Mitgelieferte Kabel	LAN (RJ-45)
Montageset	✔
Schnellstartübersicht	✔
Mitgelieferte Software	Cudy Software

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 95%

Logistikdaten	
Ursprungsland	China

6971690793999

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date