Cudy AP3000 Outdoor 2976 Mbit/s Weiß Power over Ethernet (PoE)





Marke : Cudy

Artikel-Code: AP3000 OUTDOOR

Produktname : AP3000 Outdoor

- IP65, -40~70°C (-40~158°F), 6kV Surge
- 4-Stream Dualband-WLAN 6
- 2402 Mbit/s + 574 Mbit/s WLAN
- 1× Geschirmter GbE PoE-Eingang
- 802.3at, 48~57V Passives PoE
- Multi-AP-Management
- Watchdog, Zeitplan-Neustart
- Maximale Reichweite: 320 m (1050 Fuß)
- 200 verbundene Geräte

Indoor/Outdoor AX3000 High-Power Wi-Fi 6 Access Point
Cudy AP3000 Outdoor. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 2976 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA, WPA2, WPA3. Ethernet LAN Datentransferraten: 100,1000,2500,10 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 18 W

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	2976 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	574 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	2402 Mbit/s
Ethernet LAN Datentransferraten	100,1000,2500,10 Mbit/s
Netzstandard	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at
MIMO	✔
MIMO-Typ	Multi User MIMO
Spread-Spectrum Methode	OFDMA
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Tagged VLAN
Quality of Service (QoS) Support	✔
Maximum Außenabstand	320 m

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WPA, WPA2, WPA3
MAC Adressen Filtern	✔
IP-Adressen Filter	✔
Anzahl der SSID-Unterstützung	8
Gastzugang	✔

Energie	
DC Spannungsrange	48-57 V
Stromverbrauch (Standardbetrieb)	5 W
Stromverbrauch (max.)	18 W

Design	
Platzierung *	Stange, Wand
Produktfarbe *	Weiß
Internationale Schutzart (IP-Code)	IP65
Reset-Knopf	✔
WPS Sicherheit per Tastendruck	✔

Antenne	
Antennentyp *	Intern & extern
Antennenfunktionen	Abnehmbare Antenne
Anzahl der Antennen	2
Antenne Steckertyp	RP-SMA

Leistungen	
Chipsatz	MT7981, IPQ5018
Flash-Speicher	128 MB

Technische Details	
Menge pro Versandkarton	20 Stück(e)

Gewicht und Abmessungen	
Breite	240 mm
Tiefe	100 mm
Höhe	53,7 mm
Gewicht	455 g

Sicherheit	
IGMP-Snooping	✔
Protokolle	
DHCP-Client	✔
Management-Funktionen	
Web-basiertes Management	✔
Syslog	✔
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1
WAN Port	Ethernet (RJ-45)
Energie	
Power over Ethernet (PoE) *	✔
Power-over-Ethernet (PoE)-Typ unterstützt	Active PoE, Passive PoE

Verpackungsdaten	
Verpackungsbreite	324 mm
Verpackungstiefe	107 mm
Verpackungshöhe	86 mm
Paketgewicht	856 g
Lieferumfang	
AC-Netzadapter	✘
PoE-Adapter enthalten (Power over Ethernet)	✔
Mitgelieferte Kabel	UTP
Montageset	✔
Schnellstartübersicht	✔
Mitgelieferte Software	Cudy Software
Logistikdaten	
Ursprungsland	China

6971690792992

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-JUL-2026. Prints or copies of Information are only valid on the printed Publication date