Cudy FS1006P Netzwerk-Switch Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Schwarz











Marke : Cudy

Artikel-Code: FS1006P

Produktname : FS1006P

- 4× FE mit 802.3at/af Mode A PoE
- 2× Uplink FE
- 65-W-Netzteil
- Standard-/VLAN-/Erweiterungsmodi
- Watchdog under VLAN or Extend Modes
- Tisch- oder Wandmontage
- 200×118×44 mm (7,87×4,65×1,73'')

6-Port 10/100M PoE+ Switch

Cudy FS1006P. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 6. Vollduplex. MAC-Adressentabelle: 1024 Eintragungen, Routing-/Switching-Kapazität: 1,2 Gbit/s. Netzstandard: IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x, IEEE 802.3i. Netzstecker: AC-Eingangsbuchse. Power over Ethernet (PoE). Wandmontage

Management-Funktionen	
Switch-Typ *	Unmanaged
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	6
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)
Anzahl der Uplink-Ports	2
Netzstecker	AC-Eingangsbuchse
Netzwerk	
Netzstandard *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x, IEEE 802.3i
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX
unterstütze Kabeltypen	Cat3, Cat5, Cat5e
Vollduplex	✔
Halb-Duplex	✔
Ethernet LAN Datentransferraten	10,100 Mbit/s
VLAN-Unterstützung	✔
Datenübertragung	
Routing-/Switching-Kapazität *	1,2 Gbit/s
Transferrate	0,8928 Mpps
MAC-Adressentabelle *	1024 Eintragungen
Store-and-Forward	✔
Datenpaket-Pufferspeicher	0,448 MB
Design	
Produktfarbe	Schwarz
Gehäusematerial	Metall
LED-Anzeigen	Aktivität, Link, PoE, Leistung
Wandmontage	✔
Leistungen	
Plug & Play	✔

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Stromverbrauch (Standardbetrieb)	1 W
Stromverbrauch (max.)	65 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
Sonstige Funktionen	
Garantiezeit	1 Jahr(e)
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	10 - 95%
Gewicht und Abmessungen	
Breite	200 mm
Tiefe	118 mm
Höhe	44 mm
Lieferumfang	
Schnellstartübersicht	✔
Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	245 mm
Verpackungstiefe	190 mm
Verpackungshöhe	60 mm
Technische Details	
Menge pro Versandkarton	16 Stück(e)
Logistikdaten	
Ursprungsland	China

Energie	
Energiequelle *	AC
Netzteil enthalten *	✔

6971690790264

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-JUL-2026. Prints or copies of Information are only valid on the printed Publication date