ZYXEL

Zyxel XGS4600-52F Managed L3 Schwarz

Marke : Zyxel

Artikel-Code: XGS4600-52F-ZZ0101F

Produktname : XGS4600-52F



Zyxel XGS4600-52F. Switch-Typ: Managed, Switch-Ebene: L3. MAC-Adressentabelle: 32000 Eintragungen, Routing-/Switching-Kapazität: 176 Gbit/s. Netzstandard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE.... Rack-Einbau



Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L3
Web-basiertes Management	✔

Anschlüsse und Schnittstellen	
Menge SFP-Modul-Steckplätze	48
Menge Modul-Steckplätze SFP+	4

Netzwerk	
Netzstandard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✔
IP-Routing	✔

Datenübertragung	
Routing-/Switching-Kapazität *	176 Gbit/s
MAC-Adressentabelle *	32000 Eintragungen
Datenpaket-Pufferspeicher	4 MB

Sicherheit	
DHCP-Funktionen	DHCP server
Zugriffkontrollliste	✔
Unterstützte Sicherheitsalgorithmen	SSH, SSL/TLS
MAC Adressen Filtern	✔
SSH-/SSL-Unterstützung	✔
BPDU-Filterung/Schutz	✔

Leistungen	
Geräuschpegel	42,6 dB
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	815860 h

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Stromverbrauch (max.)	70,16 W

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘

Betriebsbedingungen	
Betriebstemperatur	0 - 50 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 95%
Luftfeuchtigkeit bei Lagerung	10 - 95%
Wärmeableitung	252,68 BTU/h

Gewicht und Abmessungen	
Breite	441 mm
Tiefe	360 mm
Höhe	44 mm
Gewicht	4,97 kg

Verpackungsdaten	
Verpackungsbreite	616 mm
Verpackungstiefe	355 mm
Verpackungshöhe	107 mm
Paketgewicht	6,6 kg

Design	
Rack-Einbau *	✔
Stapelbar *	✘
Produktfarbe	Schwarz
LED-Anzeigen	✔

Leistungen	
Speicherkapazität	1024 MB
Flash-Speicher	64 MB

Logistikdaten	
Warentarifnummer (HS)	85176990

4718937595570

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date