ZYXEL

Zyxel WAX655E 4800 Mbit/s Weiß Power over Ethernet (PoE)



Marke : Zyxel

Artikel-Code: WAX655E-EU0101F

Produktname : WAX655E

- Anschluß für externe Antennen (nicht im Lieferumfang), inkl. 1 Jahr Nebula Pro Pack Lizenz. Netzteil nicht im Lieferumfang enthalten
WAX655E 802.11ax Wifi6 4x4 Outdoor Access Point (ohne Netzteil)
Zyxel WAX655E. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 4800 Mbit/s. Unterstützte Sicherheitsalgorithmen: WEP, WPA2, WPA2-PSK, WPA3. Ethernet LAN Datentransferraten: 1000,2500 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 25,5 W

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	4800 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	575 Mbit/s
Ethernet LAN Datentransferraten	1000,2500 Mbit/s
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
MIMO	✔
MIMO-Typ	Multi User MIMO
WLAN-Multimedia (WMM)/(WME)	✔
VLAN-Unterstützung	✔
Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WEP, WPA2, WPA2-PSK, WPA3
MAC Adressen Filtern	✔
Management-Funktionen	
Web-basiertes Management	✔
Upgradefähige Firmware	✔
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1
Energie	
Power over Ethernet (PoE) *	✔
Stromverbrauch (max.)	25,5 W

Design	
Internationale Schutzart (IP-Code)	IP67
Antenne	
Antennentyp *	Extern
Antennenfunktionen	Abnehmbare Antenne
Anzahl der Antennen	6
Antenne Steckertyp	N-Typ
Anzahl der Verbinder	6
Zertifikate	
Zertifizierung	FCC Part 15C, FCC Part 15E, ETSI EN 300 328, EN 301 893, LP0002
Gewicht und Abmessungen	
Breite	256 mm
Tiefe	257 mm
Höhe	70 mm
Gewicht	1,36 kg
Verpackungsdaten	
Verpackungsbreite	427 mm
Verpackungstiefe	284 mm
Verpackungshöhe	111 mm
Paketgewicht	2,92 kg
Lieferumfang	
Menge pro Packung	1 Stück(e)
Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-40 - 65 °C
Temperaturbereich bei Lagerung	-40 - 70 °C

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date

Design		Betriebsbedingungen	
Platzierung *	Stange, Wand	Luftfeuchtigkeit bei Lagerung	10 - 90%
Produktfarbe *	Weiß		

4718937626755

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date