Logitech H650E Kopfhörer Kabelgebunden Kopfband Büro/Callcenter USB Typ-A Schwarz, Silber



Marke : Logitech

Artikel-Code: 981-000519

Produktname : H650E

50 - 10k Hz/100 - 10k Hz, USB
Logitech H650E. Produkttyp: Kopfhörer. Übertragungstechnik: Kabelgebunden. Empfohlene Nutzung: Büro/Callcenter. Kopfhörerfrequenz: 50 - 10000 Hz. Kabellänge: 2,1 m. Gewicht: 120 g. Produktfarbe: Schwarz, Silber



Leistungen	
Produkttyp *	Kopfhörer
Tragestil *	Kopfband
Empfohlene Nutzung *	Büro/Callcenter
Headset-Typ *	Binaural
Produktfarbe *	Schwarz, Silber
Operationsschlüssel	Anruf annehmen/beenden, Stummschalten, Lautstärke +, Lautsärke -
Lautstärkeregler	Knopf
Typ Steuereinheit	SCR-Steuereinheit
Steuerung	Tasten
Kabellänge	2,1 m
Sound Drucklevel (max)	100 dB

Anschlüsse und Schnittstellen	
Übertragungstechnik *	Kabelgebunden
USB Anschluss	✔
USB-Anschlusstyp	USB Typ-A

Kopfhörer	
Position Kopfhörerlautsprecher *	Ohraufliegend
Kopfhörerfrequenz	50 - 10000 Hz
Kopfhörer-Empfindlichkeit	90 dB
THD, totalklirren	4%

Mikrofon	
Mikrofon-Typ *	Boom
Mikrofon-Frequenz	100 - 10000 Hz

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista
Unterstützt Mac-Betriebssysteme	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey

Gewicht und Abmessungen	
Breite	174 mm
Tiefe	50 mm
Höhe	165 mm
Gewicht	120 g

Verpackungsdaten	
Verpackungsbreite	185,3 mm
Verpackungstiefe	202,5 mm
Verpackungshöhe	62,5 mm
Paketgewicht	175 g

Lieferumfang	
Schnellstartübersicht	✔
Garantiekarte	✔
Beutel	✔
Anzahl	1

Mikrofon	
Mikrofon-Empfindlichkeit	-45 dB
Ausrichtung des integrierten Mikrofons	Bidirektionales Mikrofon
Klappbares Mikrofon	✔
Mikrofon-Geräuschunterdrückung	✔
Mikrofon Stummschaltung	✔

Logistikdaten	
Warentarifnummer (HS)	85183000
Umkartonbreite	194 mm
Umkartonlänge	412 mm
Umkartonhöhe	196 mm
Bruttogewicht des Umkartons	3 kg

Sonstige Funktionen	
Unterstützung anderer Betriebsysteme	Linux
Betriebsspannungsbereich	1,4 - 5 V
Verzeichnung	10%
Digitale Signalverarbeitung (DSP)	✔



5099206041196

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date