COUGAR Netzteil ATLAS 750W ATX3.1 / 80 Plus Bronze



Marke : COUGAR

Artikel-Code: 31AA075001P01

Produktname : Netzteil ATLAS 750W ATX3.1 / 80 Plus Bronze

COUGAR Netzteil ATLAS 750W ATX3.1 / 80 Plus Bronze. Gesamtleistung: 750 W, AC Eingangsspannung: 100 - 240 V, AC Eingangsfrequenz: 50/60 Hz. Motherboard Anschlussstecker: 24-pin ATX, Stromkabellänge Motherboard: 55 cm, SATA-Netzkabellänge: 150,450 mm. Zweck: PC, Stromversorgungseinheit (PSU) Formfaktor: ATX, 80 Plus Zertifizierung: 80 PLUS Bronze. Produktfarbe: Schwarz, Kühlung: Aktiv, Lüfterdurchmesser: 12 cm. Zertifizierung: CE, FCC, RoHS



Energie	
Gesamtleistung *	750 W
AC Eingangsspannung *	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Eingangsstrom	10-6 A
Leistungsfaktorkorrekturfilter (PFC)	Aktiv
Kombinierter Strom (+3.3V)	140 W
Kombinierter Strom (+12V)	750 W
Kombinierter Strom (+5V)	140 W
Kombinierter Strom (-12V)	3,6 W
Kombinierter Strom (+5Vsb)	15 W
Max. Ausgangsstrom (+3.3V)	22 A
Max. Ausgangsstrom (+12V)	62,5 A
Max Ausgangsstrom (+5V)	22 A
Max. Ausgangsstrom (-12V)	0,3 A
Max. Ausgangsstrom (+5Vsb)	3 A
Effizienz	87%
Energieschutzeigenschaften	Überstrom, Überlastung, Überspannung, Überhitzung, Kurzschluß, Under total voltage

Anschlüsse und Schnittstellen	
Motherboard Anschlussstecker *	24-pin ATX
Stromkabellänge Motherboard	55 cm
Anzahl SATA Stromstecker	6
SATA-Netzkabellänge	150,450 mm
Anzahl Molex Anschlüsse 4pin *	2
Anzahl PCI Express Stromstecker 6+2pin	4
PCI Express-Stromanschlüsse (12+4 Pol)	1

Anschlüsse und Schnittstellen	
PCI Express-Stromanschlüsse (12+4-polig) Kabellänge	600 mm
CPU Stecker (4+4 pin)	✔
CPU-Leistung Kabellänge	70 cm
Kabeltyp	Nicht-modular

Leistungen	
80 Plus Zertifizierung *	80 PLUS Bronze
Zweck *	PC
Stromversorgungseinheit (PSU) Formfaktor *	ATX
ATX-Version	3.1
Lagertyp	Gewehr

Design	
Produktfarbe	Schwarz
Kühlung	Aktiv
Lüfterdurchmesser	12 cm
Anzahl Lüfter	1 Lüfter
Ein-/Ausschalter	✔

Zertifikate	
Zertifizierung	CE, FCC, RoHS

Gewicht und Abmessungen	
Breite	140 mm
Tiefe	150 mm
Höhe	86 mm
Gewicht	1,94 kg

Verpackungsdaten	
Verpackungsbreite	187 mm

Verpackungsdaten	
Verpackungstiefe	158 mm
Verpackungshöhe	165 mm
Paketgewicht	2,23 kg

4711649770198

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date