D-Link

D-Link R36 WLAN-Router Ethernet Dual-Band (2,4 GHz/5 GHz) Weiß



Marke : D-Link

Artikel-Code: R36/E

Produktname : R36

D-Link R36. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 7 (802.11be), WLAN Datentransferrate (max.): 3570 Mbit/s. Schnittstellentyp Ethernet-LAN: Ethernet, Ethernet LAN Datentransferraten: 100,1000,2500 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA2-Personal, WPA3-Personal. Produkttyp: Tabletop-Router, Produktfarbe: Weiß

WAN-Verbindung	
Ethernet-WAN *	✔
DSL-WAN *	✘
SIM-Karten-Slot *	✘
3G/4G USB Modem-Kompatibilität *	✘
WAN-Verbindungstyp	RJ-45
Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 7 (802.11be)
WLAN Datentransferrate (max.) *	3570 Mbit/s
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
WLAN-Datenübertragungsrate (erstes Band)	688 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	2882 Mbit/s
Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	Ethernet
Ethernet LAN Datentransferraten	100,1000,2500 Mbit/s
Dynamisches DNS (DDNS)	✔
VPN-Passthrough	✔
PPPoE/PPTP/L2TP-Passthrough	✔
Mobiles Netzwerk	
Mobilfunknetzgenerierung	Nicht unterstützt
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
Gleichstrom-Anschluss (DC)	✔

Sicherheit	
Unterstützte Sicherheitsalgorithmen	WPA2-Personal, WPA3-Personal
Firewall	✔
Kontrolle durch Eltern	✔
Filterung	✔
IP-Adressen Filter	✔
DMZ-Unterstützung	✔
Design	
Produktfarbe	Weiß
Produkttyp *	Tabletop-Router
Zertifikate	
Zertifizierung	CE, FCC, IC
Lieferumfang	
Mitgelieferte Kabel	LAN (RJ-45)
AC-Netzadapter	✔
Schnellstartübersicht	✔
Antenne	
Antennen-Design *	Extern
Anzahl der Antennen	4
Energie	
Energiequelle *	AC, Gleichstrom
Ausgangsspannung	12 V
Ausgangsstrom	1,5 A
Externes Netzteil	✔
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-20 - 65 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 95%

Management-Funktionen	
Web-basiertes Management	✔
Quality of Service (QoS) Support	✔
Reset-Knopf	✔
WPS Sicherheit per Tastendruck	✔

Gewicht und Abmessungen	
Breite	204,6 mm
Tiefe	176,5 mm
Höhe	201,3 mm
Gewicht	629 g

790069470202

0790069470202

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date