TP-Link AX3000 Wi-Fi 6 WLAN Mesh System, 2er Pack



Marke : TP-Link

Artikel-Code: DECO X60(2-PACK)

Produktname : AX3000 Wi-Fi 6 WLAN Mesh System, 2er Pack

AX3000, 5 GHz: 2402 Mbps, 2.4 GHz: 574 Mbps, 1 GHz Quad-Core CPU, 110 × 110 × 114 mm, 2-pack TP-Link AX3000 Wi-Fi 6 WLAN Mesh System, 2er Pack. Produktfarbe: Weiß, Antennentyp: Intern, LED-Anzeigen: Leistung, Status. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN-Standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Firewall: SPI, Unterstützte mobile Betriebssysteme: Android 4.4, Android 5.0, Android 6.0, Android 7.0, Android 8.0, Android 9.0, iOS, iOS 10.0, iOS.... AC Eingangsspannung: 100 - 240 V, AC-Adapter Eingangsstrom: 0,8 A, AC Eingangsfrequenz: 50/60 Hz. Konformitätsbescheinigungen: RoHS, CE, Zertifizierung: FCC, IC, NCC, BSMI, IDA, RCM, JPA, JRF, VCCI, KC

Design	
Produktfarbe *	Weiß
LED-Anzeigen	Leistung, Status
Antennentyp *	Intern
Anzahl der Antennen	4
Reset-Knopf	✔

Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN-Datenübertragungsrate (erstes Band)	574 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	2402 Mbit/s
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Unterstützte Sicherheitsalgorithmen	WPA2-PSK, WPA3, WPA, WPA2
Anzahl der Gastnetzwerke (5 GHz)	1
Anzahl der Gastnetzwerke (2,4 GHz)	1
Point-to-point protocol over Ethernet (PPPoE)	✔
Dynamische IP-Adresse	✔
Statische IP	✔
Dynamisches DNS (DDNS)	✔
Gastzugang	✔

Merkmale	
Bandsteuerung	✔

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	2
Ethernet-WAN	✔
Gleichstrom-Anschluss (DC)	✔

Energie	
AC Eingangsspannung	100 - 240 V
AC-Adapter Eingangsstrom	0,8 A
AC Eingangsfrequenz	50/60 Hz
Netzteil Ausgangsspannung	12 V
AC-Adapter Ausgangsstrom	1,5 A

Zertifikate	
Konformitätsbescheinigungen	RoHS, CE
Zertifizierung	FCC, IC, NCC, BSMI, IDA, RCM, JPA, JRF, VCCI, KC

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Gewicht und Abmessungen	
Breite	110 mm
Tiefe	110 mm
Höhe	114 mm

Merkmale	
Quality of Service (QoS) Support	✔
Portweiterleitung	✔
Firewall	SPI
BeamForming	✔
DHCP-Client	✔
DHCP-Server	✔
Unterstützte mobile Betriebssysteme	Android 4.4, Android 5.0, Android 6.0, Android 7.0, Android 8.0, Android 9.0, iOS, iOS 10.0, iOS 11.0, iOS 12, iOS 13, iOS 9.0
Kontrolle durch Eltern	✔

Lieferumfang	
Anzahl enthaltener Produkte	2 Stück(e)
AC-Netzadapter	✔
Anzahl der enthaltenen Einheiten	2 Stück(e)
Ethernet-Kabel	✔

Verpackungsdaten	
Verpackungsbreite	314 mm
Verpackungstiefe	276,5 mm
Verpackungshöhe	125 mm
Paketgewicht	2,22 kg

Logistikdaten	
Warentarifnummer (HS)	85171800

6935364085599

4897098689318

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date