NETGEAR

NETGEAR GS305Pv3 Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : NETGEAR

Artikel-Code: GS305P-300EUS

Produktname : GS305Pv3



NETGEAR GS305Pv3. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage



Management-Funktionen	
Switch-Typ *	Unmanaged
Quality of Service (QoS) Support	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Netzstecker	DC-Anschluss
Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
Vollduplex	✔
Halb-Duplex	✔
Unterstützung Datenflusssteuerung	✔
Auto MDI/MDI-X	✔
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Auto-Abtastung	✔
Datenübertragung	
Routing-/Switching-Kapazität *	10 Gbit/s
MAC-Adressentabelle *	2000 Eintragungen
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9216
Paketweiterleitungsrate (1 Gbit/s)	1448000 pps
Datenpaket-Pufferspeicher	0,128 MB
Design	
Rack-Einbau *	✘

Leistungen	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	4113947 h
Energie	
Energiequelle *	Gleichstrom
DC input Spannung	54 V
Eingangsstrom	1.25 A
Stromverbrauch (max.)	66,78 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Gesamtleistung Power over Ethernet (PoE)	63 W
Sonstige Funktionen	
Garantiezeit	3 Jahr(e)
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%
Höhe bei Betrieb	0 - 3000 m
Wärmeableitung	228,38 BTU/h
Gewicht und Abmessungen	
Breite	158 mm
Tiefe	101 mm
Höhe	27 mm
Gewicht	400 g
Technische Details	
Versandkartonshöhe	37,5 cm
Versandkartonsbreite	45,1 cm

Design	
Stapelbar *	✗
Produktfarbe	Schwarz
LED-Anzeigen	✔
Wandmontage	✔

Technische Details	
Versandkartonslänge	25,5 cm
Nettogewicht Versandkarton	14 kg
Anzahl Produkte pro Innenkarton	10 Stück(e)

0606449164909

606449164909

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date