NETGEAR XS724TM Managed L2/L3/L4 Grau

Marke : NETGEAR

Artikel-Code: XS724TM-100EUS

Produktname : XS724TM



NETGEAR XS724TM. Switch-Typ: Managed, Switch-Ebene: L2/L3/L4. Vollduplex. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 560 Gbit/s. Rack-Einbau



Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L2/L3/L4
Quality of Service (QoS) Support	✔
Web-basiertes Management	✔
Cloud-verwaltet	✔
ARP-Inspektion	✔
Konfiguration der Standorteinstellungen (CLI)	✔
Anschlüsse und Schnittstellen	
Anzahl 10G Ethernet (Kupfer)-Ports	24
Menge Modul-Steckplätze SFP+	4
Netzwerk	
10G-Unterstützung *	✔
Port-Spiegelung	✔
Vollduplex	✔
IP-Routing	✔
Routing Eingänge	64
Unterstützung Datenflusssteuerung	✔
Link Aggregation	✔
Broadcast-Sturmkontrolle	✔
Ratenbeschränkung	✔
Spannbaum-Protokoll	✔
IPv4-Routen	64
IPv6-Routen	32
VLAN-Unterstützung	✔
Anzahl der VLANs	512
Datenübertragung	
Routing-/Switching-Kapazität *	560 Gbit/s
MAC-Adressentabelle *	16000 Eintragungen
Anzahl Queues	8
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9000

Sicherheit	
Loop Protection	✔
BPDU-Filterung/Schutz	✔
Passwortschutz	✔
Autentifizierungstyp	RADIUS
Multicast-Funktionen	
Multicast Unterstützung	✔
Multicast Listener Discovery (MLD) Snooping	MLD snooping support (v1 and v2)
Protokolle	
GARP VLAN Registration Protocol (GVRP)	✔
Design	
Rack-Einbau *	✔
Produktfarbe	Grau
LED-Anzeigen	✔
Anzahl Lüfter	3 Lüfter
Leistungen	
Eingebauter Prozessor	✔
Prozessortaktfrequenz	1250 MHz
Speichertyp	RAM
Speicherkapazität	1000 MB
Flash-Speicher	256 MB
Geräuschpegel	29,61 dB
Upgradefähige Firmware	✔
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	408354,7 h
Energie	
Energiequelle *	AC
Netzteil enthalten *	✔
Stromverbrauch (max.)	92,5 W
Betriebsbedingungen	
Betriebstemperatur	0 - 50 °C

Datenübertragung	
Datenpaket-Pufferspeicher	4 MB

Sicherheit	
DHCP-Funktionen	DHCP client, DHCP server, DHCP snooping, DHCPv6 relay, DHCPv6 server
Zugriffkontrollliste	✔
Zugriffskontrollliste (ACL) IPv6-Einträge	100
IGMP-Snooping	✔
Unterstützte Sicherheitsalgorithmen	802.1x RADIUS, EAP

Betriebsbedingungen	
Temperaturbereich bei Lagerung	-20 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Luftfeuchtigkeit bei Lagerung	0 - 95%
Höhe bei Betrieb	0 - 3000 m
Wärmeableitung	315,66 BTU/h

Gewicht und Abmessungen	
Breite	400 mm
Tiefe	204 mm
Höhe	43,2 mm
Gewicht	3,38 kg

606449165579

0606449165579

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date