ZYXEL

Zyxel CX4800-56F Managed L3 1U Schwarz

Marke : Zyxel

Artikel-Code: CX4800-56F-EU0101F

Produktname : CX4800-56F

Zyxel CX4800-56F. Switch-Typ: Managed, Switch-Ebene: L3. Konsolen-Port: RJ-45. MAC-Adressentabelle: 30000 Eintragungen, Routing-/Switching-Kapazität: 4000 Gbit/s. Netzstecker: AC/DC. Rack-Einbau, Formfaktor: 1U





Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L3
Quality of Service (QoS) Support	✔
Web-basiertes Management	✔
Cloud-verwaltet	✔
ARP-Inspektion	✔
Konfiguration der Standorteinstellungen (CLI)	✔
Systemereignisprotokoll	✔
MIB Unterstützung	✔

Anschlüsse und Schnittstellen	
Basic Switching RJ-45 Ethernet Ports-Typ *	✘
Anzahl der USB Typ-A-Anschlüsse	2
Anzahl der Management-Ports	1 Stück(e)
Konsolen-Port	RJ-45
Anzahl QSFP28-Ports	8
Anzahl SFP28-Ports	48
Netzstecker	AC/DC

Netzwerk	
10G-Unterstützung *	✔
Port-Spiegelung	✔
Richtlinienbasiertes Routing	✔
Unterstützung Datenflusssteuerung	✔
Link Aggregation	✔
Broadcast-Sturmkontrolle	✔
Spannbaum-Protokoll	✔

Sicherheit	
Loop Protection	✔

Multicast-Funktionen	
Multicast Unterstützung	✔

Design	
Rack-Einbau *	✔
Formfaktor	1U
Produktfarbe	Schwarz
Reset-Knopf	✔
LED-Anzeigen	✔

Leistungen	
Speichertyp	RAM / Flash
Speicherkapazität	8000 MB
Flash-Speicher	64 MB
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	5900181,1 h

Energie	
Energiequelle *	AC/DC
Netzteil enthalten *	✔
Anzahl von Stromversorgungseinheiten	2

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-20 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 95%

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Netzwerk	
VLAN-Unterstützung	✔

Datenübertragung	
Routing-/Switching-Kapazität *	4000 Gbit/s
MAC-Adressentabelle *	30000 Eintragungen
Statische Route	✔
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9000
Datenpaket-Pufferspeicher	32 MB

Sicherheit	
DHCP-Funktionen	DHCP relay, DHCP server, DHCP snooping
Zugriffkontrollliste	✔
IGMP-Snooping	✔
Unterstützte Sicherheitsalgorithmen	SSH-2, SSL/TLS
MAC Adressen Filtern	✔
SSH-/SSL-Unterstützung	✔

Betriebsbedingungen	
Luftfeuchtigkeit bei Lagerung	10 - 95%
Wärmeableitung	1122 BTU/h

Gewicht und Abmessungen	
Breite	440 mm
Tiefe	489 mm
Höhe	45 mm
Gewicht	8,62 kg

Lieferumfang	
Mitgelieferte Kabel	AC
Rackmontageset	✔

Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	595 mm
Verpackungstiefe	706 mm
Verpackungshöhe	206 mm

Logistikdaten	
Ursprungsland	Taiwan

4718937637034

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date