NETGEAR

NETGEAR GS348TPv2 Managed L2/L3 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Schwarz





Marke : NETGEAR

Artikel-Code: GS348TP-200EUS

Produktname : GS348TPv2

NETGEAR GS348TPv2. Switch-Typ: Managed, Switch-Ebene: L2/L3. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 48. Vollduplex. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 104 Gbit/s. Netzstandard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Power over Ethernet (PoE). Rack-Einbau, Formfaktor: 1U

Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L2/L3
Quality of Service (QoS) Support	✔
Web-basiertes Management	✔
ARP-Inspektion	✔
MIB Unterstützung	✔

Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	48
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Menge SFP-Modul-Steckplätze	4

Netzwerk	
Netzstandard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x
Port-Spiegelung	✔
Vollduplex	✔
Unterstützung Datenflusssteuerung	✔
Link Aggregation	✔
Broadcast-Sturmkontrolle	✔
Ratenbeschränkung	✔
Spannbaum-Protokoll	✔
Auto-Negotiation-Funktion	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Port-based VLAN, Private VLAN, Voice VLAN
Anzahl der VLANs	256

Datenübertragung	
Routing-/Switching-Kapazität *	104 Gbit/s
MAC-Adressentabelle *	16000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔
Datenpaket-Pufferspeicher	1,5 MB

Sicherheit	
DHCP-Funktionen	DHCP client
Zugriffkontrollliste	✔
IGMP-Snooping	✔
Loop Protection	✔

Design	
LED-Anzeigen	✔
Anzahl Lüfter	2 Lüfter

Leistungen	
Eingebauter Prozessor	✔
Prozessortaktfrequenz	800 MHz
Speichertyp	RAM
Speicherkapazität	512 MB
Flash-Speicher	64 MB
Geräuschpegel	36,3 dB

Energie	
Energiequelle *	PoE

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	48
Gesamtleistung Power over Ethernet (PoE)	380 W

Sonstige Funktionen	
Garantiezeit	3 Jahr(e)

Betriebsbedingungen	
Betriebstemperatur	0 - 50 °C
Temperaturbereich bei Lagerung	-20 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Luftfeuchtigkeit bei Lagerung	0 - 95%
Höhe bei Betrieb	0 - 3000 m

Gewicht und Abmessungen	
Breite	440 mm
Tiefe	316 mm
Höhe	43 mm
Gewicht	4,05 kg

Lieferumfang	
Schnellstartübersicht	✔
Benutzerhandbuch	✔
Betriebsanleitung	✔

Technische Details	
Versandkartonshöhe	43,2 cm
Versandkartonsbreite	56,7 cm
Versandkartonslänge	24,1 cm
Nettogewicht Versandkarton	13,3 kg

Multicast-Funktionen	
Multicast Unterstützung	✔

Design	
Rack-Einbau *	✔
Formfaktor	1U
Produktfarbe	Schwarz

Technische Details	
Anzahl Produkte pro Innenkarton	2 Stück(e)



0606449175974



606449175974

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date