TP-Link 24-Port-Gigabit-Desktop/Rackmount-Switch

Marke : TP-Link **Artikel-Code:** TL-SG1024D V6

Produktname : 24-Port-Gigabit-Desktop/Rackmount-Switch



- 24 10/100/1000Mbit/s-Ports
- Innovative energieeffiziente Green IT, spart bis zu 20% Energie
- Auto-Learning von MAC-Adressen, Auto-MDI/MDIX und Autoabstimmung
- Plug-and-Play-Design

24 10/100/1000Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX), IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab , IEEE 802.3x, 294 x 180 x 44 mm, 100-240VAC, 50/60Hz
TP-Link 24-Port-Gigabit-Desktop/Rackmount-Switch. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 24. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 48 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Netzstecker: DC-Anschluss. Rack-Einbau



Management-Funktionen	
Switch-Typ *	Unmanaged
Quality of Service (QoS) Support	✔

Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	24
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	24
Netzstecker	DC-Anschluss

Netzwerk	
Netzstandard *	IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e
Vollduplex	✔
Unterstützung Datenflusssteuerung	✔
Auto MDI/MDI-X	✔
Auto-Negotiation-Funktion	✔

Datenübertragung	
Datenrate	10/100/100 Mbps
Routing-/Switching-Kapazität *	48 Gbit/s
Transferrate	35,7 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Store-and-Forward	✔
Max. Datenübertragungsrate	1 Gbit/s
Jumbo Frames Unterstützung	✔
Jumbo-Frames	10000

Protokolle	
Unterstützte Netzwerkprotokolle	CSMA/CD, TCP/IP

Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Stromverbrauch (max.)	13,62 W

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘

Sonstige Funktionen	
Abmessungen (BxTxH)	294 x 180 x 44 mm
Übertragungstechnik	Kabelgebunden
Bandbreite	48 Gbit/s
Energiebedarf	100 - 240V, 50/60Hz
Netzwerkfunktionen	Gigabit Ethernet
Konnektivität LEDs	✔

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Temperatur Betriebsumgebung	32 - 104 °F
Wärmeableitung	46,44 BTU/h

Gewicht und Abmessungen	
Breite	294 mm
Tiefe	180 mm
Höhe	44 mm

Lieferumfang	
Mitgelieferte Kabel	AC
Benutzerhandbuch	✔
Rackmontageset	✔

Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	250 mm

Design	
Rack-Einbau *	✔
Stapelbar *	✔
Produktfarbe	Grau
LED-Anzeigen	✔

Energie	
Energiequelle *	AC
Netzteil enthalten *	✔

Verpackungsdaten	
Verpackungstiefe	400 mm
Verpackungshöhe	80 mm
Paketgewicht	1,95 kg

Zertifikate	
Zertifizierung	FCC, CE, RoHS

Logistikdaten	
Warentarifnummer (HS)	85176990

8459730206206

6935364020620

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date