TP-Link 16-Port-Gigabit-Switch

Marke : TP-Link **Artikel-Code:** TL-SG1016 V12



Produktname : 16-Port-Gigabit-Switch

- 16 10/100/1000Mit/s-RJ45-Ports
- Innovative energieeffiziente Green IT, spart bis zu 40% Energie ein
- Auto-Learning von MAC-Adressen und Auto-MDI/MDIX
- Standard-19-Zoll-Rack-montierbares Stahlgehäuse

16-Port-Gigabit-Switch

TP-Link 16-Port-Gigabit-Switch. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 32 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Netzstecker: AC-Eingangsbuchse. Rack-Einbau, Formfaktor: 1U



Management-Funktionen	
Switch-Typ *	Unmanaged
Quality of Service (QoS) Support	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	16
Netzstecker	AC-Eingangsbuchse
Netzwerk	
Netzstandard *	IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e
Vollduplex	✔
Halb-Duplex	✔
Unterstützung Datenflusssteuerung	✔
Auto MDI/MDI-X	✔
Auto-Negotiation-Funktion	✔
Datenübertragung	
Routing-/Switching-Kapazität *	32 Gbit/s
Transferrate	23,8 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔
Jumbo-Frames	10000
Design	
Rack-Einbau *	✔
Formfaktor	1U

Leistungen	
Maximum Kabellänge	100 m
Ventilatorlos	✔
Energie	
Energiequelle *	AC
Netzteil enthalten *	✔
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Stromverbrauch (max.)	10,44 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Wärmeableitung	35,6 BTU/h
Gewicht und Abmessungen	
Breite	440 mm
Tiefe	180 mm
Höhe	44 mm
Lieferumfang	
Mitgelieferte Kabel	AC
Benutzerhandbuch	✔
Rackmontageset	✔
Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	250 mm
Verpackungstiefe	528 mm
Verpackungshöhe	80 mm
Paketgewicht	2,04 kg

Design	
Produktfarbe	Schwarz
Gehäusematerial	Metall
LED-Anzeigen	✔

Leistungen	
Kompatible Betriebssysteme	Microsoft Windows 2000/XP/2003/Vista/2008/7/2012/8/10 MacOS NetWare UNIX Linux

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS


Logistikdaten	
Warentarifnummer (HS)	85176990




6935364081263




5052217234896



0845973020095




845973020095




0230494831952



230494831952



6315487614096



3548383171353



6935364020095



8459730200952




0544564513212



544564513212



5053460142969



5053106224714



0172302747126



172302747126



0854432534257



854432534257



0191120080758



191120080758



0168141531767



168141531767



4056203090887



2165327000466

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date