TP-Link 24-Port-10/100Mbit/s-Rackmount-Switch

Marke : TP-Link

Artikel-Code: TL-SF1024 V9

Produktname : 24-Port-10/100Mbit/s-Rackmount-Switch



- 24 10/100Mbit/s-RJ45-Ports
- Innovative Green IT, spart bis zu 75% Energie
- Unterstützt Auto-Learning von MAC-Adressen und Auto-MDI/MDIX
- Standard-19-Zoll-Rack-fähiges Stahlgehäuse

24-Port-10/100Mbit/s-Rackmount-Switch
TP-Link 24-Port-10/100Mbit/s-Rackmount-Switch. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 24. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 4,8 Gbit/s. Netzstandard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Netzstecker: AC-Eingangsbuchse. Rack-Einbau, Formfaktor: 1U



Management-Funktionen	
Switch-Typ *	Unmanaged
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	24
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)
Fast Ethernet (Kupfer)-Anschlüsse	24
Netzstecker	AC-Eingangsbuchse
Netzwerk	
Netzstandard *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✗
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e
Vollduplex	✓
Halb-Duplex	✓
Unterstützung Datenflusssteuerung	✓
Auto MDI/MDI-X	✓
Ethernet LAN Datentransferraten	10,100 Mbit/s
Auto-Negotiation-Funktion	✓
Datenübertragung	
Routing-/Switching-Kapazität *	4,8 Gbit/s
Transferrate	3,57 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Store-and-Forward	✓
Datenpaket-Pufferspeicher	2 MB
Protokolle	
Unterstützte Netzwerkprotokolle	CSMA/CD, TCP/IP
Design	
Rack-Einbau *	✓

Leistungen	
Kompatible Betriebssysteme	Microsoft Windows 8, 7,Vista, XP, MAC OS, NetWare, UNIX, Linux
Ventilatorlos	✓
Energie	
Energiequelle *	AC
Netzteil enthalten *	✓
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Stromverbrauch (max.)	3,53 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✗
Sonstige Funktionen	
Größe (Imperial)	48,3 cm (19")
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Wärmeableitung	10,88 BTU/h
Gewicht und Abmessungen	
Breite	440 mm
Tiefe	180 mm
Höhe	44 mm
Lieferumfang	
Mitgelieferte Kabel	AC
Benutzerhandbuch	✓
Rackmontageset	✓
Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	250 mm

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Design	
Stapelbar *	✗
Formfaktor	1U
Produktfarbe	Grau
Gehäusematerial	Metall
LED-Anzeigen	✔

Verpackungsdaten	
Verpackungstiefe	528 mm
Verpackungshöhe	80 mm
Paketgewicht	2,34 kg

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS

Logistikdaten	
Warentarifnummer (HS)	85176990



0845973020057



845973020057



0696726102403



696726102403



6935364021474



6935364020057

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date