D-Link

D-Link DGS-108 Unmanaged L2 Gigabit Ethernet (10/100/1000) Schwarz



Marke : D-Link

Artikel-Code: DGS-108/E

Produktname : DGS-108



8-Port 10/100/1000 Gigabit, Auto MDI/MDIX, Full/half-duplex, Jumbo Frames, 16 Gbps, QoS
D-Link DGS-108. Switch-Typ: Unmanaged, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 4000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Netzstecker: DC-Anschluss

Management-Funktionen	
Switch-Typ *	Unmanaged
Switch-Ebene	L2
Quality of Service (QoS) Support	✔

Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Netzstecker	DC-Anschluss

Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✔
Kupfer Ethernet Verkabelungstechnologie	1000BASE-T, 100BASE-TX, 10BASE-T
Vollduplex	✔
Unterstützung Datenflusssteuerung	✔
Auto MDI/MDI-X	✔
Auto-Abtastung	✔
Selbstlernen von MAC-Adressen unterstützt	✔

Datenübertragung	
Datenrate	10/100/1000 Mbps
Routing-/Switching-Kapazität *	16 Gbit/s
MAC-Adressentabelle *	4000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔
Paketweiterleitungsrate (1 Gbit/s)	1488000 pps
Paketweiterleitungsrate (100 Mbit/s)	148800 pps
Paketweiterleitungsrate (10 Mbit/s)	14880 pps
Datenpaket-Pufferspeicher	0,192 MB

Sicherheit	
IGMP-Snooping	✔
MAC Adressen Filtern	✔

Multicast-Funktionen	
Multicast Unterstützung	✔

Leistungen	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	1467882 h

Energie	
Energiequelle *	Gleichstrom
Eingangsstrom	1 A
Eingangsspannung	5 V
Stromverbrauch (Standardbetrieb)	2,8 W

Betriebsbedingungen	
Betriebstemperatur	0 - 50 °C
Temperaturbereich bei Lagerung	-10 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Gewicht und Abmessungen	
Breite	138,7 mm
Tiefe	85 mm
Höhe	22,4 mm
Gewicht	270 g

Technische Details	
Versandkartonshöhe	44,3 cm
Versandkartonsbreite	26 cm
Versandkartonslänge	37 cm
Nettogewicht Versandkarton	7,1 kg
Anzahl Produkte pro Innenkarton	10 Stück(e)
Palettenbruttogewicht (Luft)	398,9 kg
Anzahl der Kartons pro Palette (Luft)	48 Stück(e)
Anzahl pro Palette (Luft)	480 Stück(e)
Palettenlänge (brutto)	110 cm
Palettenbreite (brutto)	120 cm
Palettenhöhe (Luft)	196,7 cm
Palettenbruttogewicht (Meer)	398,9 kg
Anzahl der Kartons pro Palette (See)	48 Stück(e)
Anzahl pro Palette (See)	480 Stück(e)
Palettenhöhe (See)	196,7 cm
Gewicht (innerer) Versandkarton	7,79 kg

Zertifikate	
Zertifizierung	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS

Design	
Rack-Einbau *	✕
Produktfarbe	Schwarz
Gehäusematerial	Metall
LED-Anzeigen	Link, Leistung

Logistikdaten	
Warentarifnummer (HS)	85176990

790069368240

0790069368240

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date