TP-Link 5-Port-Gigabit-Unmanaged Pro Switch



Marke : TP-Link **Artikel-Code:** TL-SG105E V5

Produktname : 5-Port-Gigabit-Unmanaged Pro Switch

- 5 Gigabit-RJ45-Ports mit Autoabstimmung und Auto-MDI/MDIX
- Plug-and-Play, keine Konfiguration notwendig
- Robustes Metallgehäuse für zuverlässige und professionelle Leistung
- Zentrales Management all Ihrer Easy-Smart-Switches über die Benutzeroberfläche und das Easy-Smart-Configuration-Utility
- Energieeffiziente Green IT zum Energiesparen

5 10/100/1000 Mbps RJ45 Ports, AUTO Negotiation/AUTO MDI/MDIX, IEEE 802.3i/u/ab/x, IEEE 802.1q/p, 100 × 98 × 25 mm

TP-Link 5-Port-Gigabit-Unmanaged Pro Switch. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x

Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L2
Quality of Service (QoS) Support	✔
Web-basiertes Management	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	5
Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
Kupfer Ethernet Verkabelungstechnologie	1000BASE-T, 100BASE-TX, 10BASE-T
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6
Port-Spiegelung	✔
Link Aggregation	✔
Auto MDI/MDI-X	✔
Auto-Negotiation-Funktion	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Port-based VLAN
Anzahl der VLANs	32
Datenübertragung	
Routing-/Switching-Kapazität *	10 Gbit/s
Transferrate	7,44 Mpps
MAC-Adressentabelle *	2000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔
Jumbo-Frames	16000
Datenpaket-Pufferspeicher	1 MB
Sicherheit	
IGMP-Snooping	✔

Design	
LED-Anzeigen	✔
Leistungen	
Kompatible Betriebssysteme	Microsoft Windows XP, Vista Windows 7, Windows 8, MAC OS, NetWare, UNIX / Linux
Energie	
Energiequelle *	Gleichstrom
Netzteil enthalten *	✔
Eingangsstrom	0.6 A
Eingangsspannung	5 V
Stromverbrauch (max.)	2,82 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Wärmeableitung	9,07 BTU/h
Gewicht und Abmessungen	
Breite	100 mm
Tiefe	98 mm
Höhe	25 mm
Lieferumfang	
Mitgelieferte Kabel	AC
Schnellstartübersicht	✔
Benutzerhandbuch	✔
Rackmontageset	✔
Verpackungsdaten	
Verpackungsart	Box
Verpackungsbreite	125 mm
Verpackungstiefe	128 mm
Verpackungshöhe	92 mm
Paketgewicht	449 g

Design		Zertifikate	
Produktfarbe	Schwarz	Zertifizierung	FCC, CE, RoHS

6935364022044

0845973022037

845973022037

6935364022037

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date