NETGEAR

NETGEAR GS308-300PES Netzwerk-Switch Unmanaged L2 Gigabit Ethernet (10/100/1000) Schwarz



Marke : NETGEAR

Artikel-Code: GS308-300PES

Produktname : GS308-300PES

NETGEAR GS308-300PES. Switch-Typ: Unmanaged, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u. Netzstecker: DC-Anschluss. Wandmontage



Management-Funktionen	
Switch-Typ *	Unmanaged
Switch-Ebene	L2
Quality of Service (QoS) Support	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	8
Netzstecker	DC-Anschluss
Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u
10G-Unterstützung *	✘
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T
Unterstützung Datenflusssteuerung	✔
Auto MDI/MDI-X	✔
Auto-Abtastung	✔
Kabellängenerfassung	✔
Datenübertragung	
Routing-/Switching-Kapazität *	16 Gbit/s
Transferrate	1,448 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Wartezeit (1 Gbps)	2,6 µs
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9216
Datenpaket-Pufferspeicher	128 MB
Design	
Rack-Einbau *	✘
Produktfarbe	Schwarz
Gehäusematerial	Metall
LED-Anzeigen	Aktivität, Link, Leistung

Leistungen	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	3711898 h
Energie	
Stromverbrauch (max.)	3,04 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘
Sonstige Funktionen	
Garantiezeit	3 Jahr(e)
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-20 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%
Luftfeuchtigkeit bei Lagerung	0 - 95%
Höhe bei Betrieb	0 - 3000 m
Wärmeableitung	10,4 BTU/h
Gewicht und Abmessungen	
Breite	158 mm
Tiefe	101 mm
Höhe	29 mm
Gewicht	390 g
Technische Details	
Versandkartonshöhe	43,4 cm
Versandkartonsbreite	48,6 cm
Versandkartonslänge	32,9 cm
Nettogewicht Versandkarton	14,6 kg
Anzahl Produkte pro Innenkarton	20 Stück(e)
Zertifikate	
Zertifizierung	CE Mark FCC Part 15 Class B IC Class B RCM CCC VCCI KC
Logistikdaten	
Warentarifnummer (HS)	85176990

Design	
Wandmontage	✔



0606449140149



606449140149

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date