ZYXEL

Zyxel GS1100-10HP v2 Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : Zyxel

Artikel-Code: GS1100-10HP-EU0102F

Produktname : GS1100-10HP v2



Zyxel GS1100-10HP v2. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE.... DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage



Management-Funktionen	
Switch-Typ *	Unmanaged
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Menge SFP-Modul-Steckplätze	2
Netzstecker	DC-Anschluss
Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
10G-Unterstützung *	✗
Auto MDI/MDI-X	✓
Ethernet LAN Datentransferraten	100,1000 Mbit/s
Datenübertragung	
Routing-/Switching-Kapazität *	20 Gbit/s
Transferrate	14,88 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Jumbo Frames Unterstützung	✓
Jumbo-Frames	9000
Datenpaket-Pufferspeicher	0,256 MB
Design	
Produktfarbe	Schwarz
LED-Anzeigen	✓
Wandmontage	✓
Anzahl Lüfter	0 Lüfter

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✓
Anzahl Power over Ethernet (PoE) Anschlüsse	8
Gesamtleistung Power over Ethernet (PoE)	130 W
Betriebsbedingungen	
Betriebstemperatur	0 - 50 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	10 - 95%
Wärmeableitung	89 BTU/h
Gewicht und Abmessungen	
Breite	250 mm
Tiefe	104 mm
Höhe	27 mm
Gewicht	730 g
Verpackungsdaten	
Verpackungsbreite	228 mm
Verpackungstiefe	304 mm
Verpackungshöhe	67 mm
Paketgewicht	1,97 kg
Nachhaltigkeit	
Nachhaltigkeitskonformität	✓
Zertifikate	
Konformitätsbescheinigungen	RoHS

Leistungen	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	1000070 h

Energie	
Energiequelle *	AC/DC
Netzteil enthalten *	✔
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
DC input Spannung	54 V
Stromverbrauch (max.)	156,1 W

Logistikdaten	
Ursprungsland	China
Umkartonbreite	323 mm
Umkartonlänge	558 mm
Umkartonhöhe	275 mm
Warentarifnummer (HS)	85176990
Bruttogewicht des Umkartons	13,7 kg
Anzahl Produkte pro Umkarton	8 Stück(e)

4718937621187

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date