NETGEAR

NETGEAR MS108UP Unmanaged 2.5G Ethernet (100/1000/2500) Power over Ethernet (PoE)



Marke : NETGEAR

Artikel-Code: MS108UP-100EUS

Produktname : MS108UP

NETGEAR MS108UP. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: 2.5G Ethernet (100/1000/2500), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 40 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt,.... DC input Spannung: 54 V. Power over Ethernet (PoE). Wandmontage



Management-Funktionen	
Switch-Typ *	Unmanaged
Quality of Service (QoS) Support	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	2.5G Ethernet (100/1000/2500)
Anzahl 2.5G Ethernet (Kupfer)-Ports	8
Netzwerk	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
Vollduplex	✔
Halb-Duplex	✔
Auto MDI/MDI-X	✔
Head-of-Line (HOL)-Blocking	✔
Ethernet LAN Datentransferraten	100,1000,2500 Mbit/s
Auto-Abtastung	✔
VLAN-Unterstützung	✔
Anzahl der VLANs	64
Datenübertragung	
Routing-/Switching-Kapazität *	40 Gbit/s
MAC-Adressentabelle *	16000 Eintragungen
Wartezeit (1 Gbps)	3,593 µs
Jumbo Frames Unterstützung	✔
Jumbo-Frames	12000
Paketweiterleitungsrate (1 Gbit/s)	1488000 pps
Datenpaket-Pufferspeicher	1,5 MB
Design	
Rack-Einbau *	✘
Gehäusematerial	Metall

Design	
Wandmontage	✔
Anzahl Lüfter	0 Lüfter
Elektromagnetische Verträglichkeit	CE, FCC part 15 Class B, ISED, VCCI, KC, CCC, BSMI, RCM
Leistungen	
Ventilatorlos	✔
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	373643,7 h
Energie	
Energiequelle *	Gleichstrom
Netzteil enthalten *	✔
DC input Spannung	54 V
Eingangsstrom	4.7 A
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	8
Gesamtleistung Power over Ethernet (PoE)	230 W
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-20 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%
Höhe bei Betrieb	0 - 3000 m
Wärmeableitung	923,49 BTU/h
Gewicht und Abmessungen	
Breite	210 mm
Tiefe	140 mm
Höhe	40 mm
Gewicht	900 g
Zertifikate	
Zertifizierung	CB, CSA, CCC, BSMI, RCM

Design		Logistikdaten	
LED-Anzeigen	Aktivität, Link, PoE, Leistung	Warentarifnummer (HS)	85176990

0606449156874

606449156874

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date