TP-Link TL-SG116P Netzwerk-Switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Artikel-Code: TL-SG116P

Produktname : TL-SG116P



TP-Link TL-SG116P. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 32 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. DC input Spannung: 9 V. Power over Ethernet (PoE). Wandmontage



Management-Funktionen	
Switch-Typ *	Unmanaged
Quality of Service (QoS) Support	✔
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	16
Netzwerk	
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6
Port-Spiegelung	✔
Vollduplex	✔
Unterstützung Datenflusssteuerung	✔
Link Aggregation	✔
Broadcast-Sturmkontrolle	✔
Ratenbeschränkung	✔
Auto MDI/MDI-X	✔
Auto-Negotiation-Funktion	✔
Kabellängenerfassung	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Protocol-based VLAN, Tagged VLAN
Anzahl der VLANs	32

Sicherheit	
IGMP-Snooping	✔
Loop Protection	✔
Design	
Stapelbar *	✔
Produktfarbe	Schwarz
Gehäusematerial	Metall
LED-Anzeigen	✔
Wandmontage	✔
Energie	
Netzteil enthalten *	✔
AC Eingangsspannung	220 V
AC Eingangsfrequenz	50 Hz
DC input Spannung	9 V
Eingangsstrom	0.6 A
Stromverbrauch (Standardbetrieb)	11,72 W
Stromverbrauch (max.)	144,28 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Wärmeableitung	490,55 BTU/h
Gewicht und Abmessungen	
Breite	286 mm

Datenübertragung	
Routing-/Switching-Kapazität *	32 Gbit/s
Transferrate	23,81 Mpps
MAC-Adressentabelle *	8000 Eintragungen
Store-and-Forward	✔
Anzahl Queues	4
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9000
Datenpaket-Pufferspeicher	4,1 MB

Gewicht und Abmessungen	
Tiefe	111,7 mm
Höhe	25,4 mm

Lieferumfang	
Schnellstartübersicht	✔

Verpackungsdaten	
Verpackungsbreite	227 mm
Verpackungstiefe	434 mm
Verpackungshöhe	70 mm
Paketgewicht	2 kg

4895252500318

0840030708398

840030708398

4895252500301

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date