ASUS RT-BE58U V2 WLAN-Router 2.5 Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz





Marke : ASUS

Artikel-Code: 90IG0A70-MO9C00

Produktname : RT-BE58U V2

RT-BE58U V2 BE3600 Dual Band WiFi 7 kombinierbarer Router (4K-QAM, MLO, AI Detection 2.5G WAN/LAN Port , Vier 1G Ports, Netzwerksicherheit auf kommerzieller Ebene, Kindersicherung, IoT Netzwerk, Kindernetzwerk, VPN Netzwerk)
ASUS RT-BE58U V2. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 7 (802.11be), WLAN Datentransferrate (max.): 3600 Mbit/s. Schnittstellentyp Ethernet-LAN: 2.5 Gigabit Ethernet, Ethernet LAN Datentransferraten: 1000,2500 Mbit/s. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz, LED-Anzeigen: Leistung, LAN, WAN. Antennen-Design: Extern

WAN-Verbindung	
Ethernet-WAN *	✔
SIM-Karten-Slot *	✘
WAN-Verbindungstyp	RJ-45
Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 7 (802.11be)
WLAN Datentransferrate (max.) *	3600 Mbit/s
WLAN-Standards	802.11a, Wi-Fi 5 (802.11ac), Wi-Fi 7 (802.11be), 802.11b, Wi-Fi 6 (802.11ax), 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)
Modulation	4096-QAM
Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	2.5 Gigabit Ethernet
Ethernet LAN Datentransferraten	1000,2500 Mbit/s
Portweiterleitung	✔
Port-Auslösung	✔
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	5
USB Anschluss *	✔
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A	1
Gleichstrom-Anschluss (DC)	✔
Management-Funktionen	
Reset-Knopf	✔
WPS Sicherheit per Tastendruck	✔
Sicherheit	
Kontrolle durch Eltern	✔

Design	
LED-Anzeigen	Leistung, LAN, WAN
Ein-/Ausschalter	✔
Produkttyp *	Tabletop-Router
Antenne	
Antennen-Design *	Extern
Anzahl der Antennen	4
Merkmale	
Eingebauter Prozessor	✔
Prozessorhersteller	Broadcom
Prozessortaktfrequenz	2000 MHz
Anzahl Prozessorkerne	4
Energie	
Energiequelle *	Gleichstrom
Ausgangsspannung	12 V
Ausgangsstrom	2 A
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	0 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	50 - 90%
Luftfeuchtigkeit bei Lagerung	20 - 90%
Gewicht und Abmessungen	
Breite	238 mm
Tiefe	193 mm
Höhe	59 mm
Gewicht	461 g
Verpackungsdaten	
Verpackungsbreite	285 mm
Verpackungstiefe	193 mm
Verpackungshöhe	104 mm
Paketgewicht	1,03 kg
Verpackungsart	Box

Design	
Produktfarbe	Schwarz

4711387452943

5715328287846

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date