APC BVX700LI-GR Unterbrechungsfreie Stromversorgung (USV) Line-Interaktiv 0,7 kVA 360 W 2 AC-Ausgänge



Marke : APC

Artikel-Code: BVX700LI-GR

Produktname : BVX700LI-GR

700VA, 230V, AVR, 2x Schuko-Buchsen, Schwarz
APC BVX700LI-GR. USV-Topologie: Line-Interaktiv, Ausgangskapazität: 0,7 kVA, Ausgangsleistung: 360 W. AC-Steckertypen: Typ F, Stecker: Typ F, Anzahl der AC-Ausgänge: 2 AC-Ausgänge. Akku-/Batterietechnologie: Plombierte Bleisäure (VRLA), Batteriekapazität: 7 Ah, Akku-/Batteriespannung: 12 V. Formfaktor: Kompakt, Produktfarbe: Schwarz, Internationale Schutzart (IP-Code): IP20. Zertifizierung: CB, CE, EN/IEC 62040-1, EN/IEC 62040-2



Merkmale	
USV-Topologie *	Line-Interaktiv
Ausgangskapazität *	0,7 kVA
Ausgangsleistung *	360 W
Wellenform *	Sine
Eingangs-Betriebsspannung (min) *	170 V
Eingangs-Betriebsspannung (max) *	280 V
Eingangsfrequenz *	50/60 Hz
Ausgangs-Betriebsspannung (min)	230 V
Ausgangs-Betriebsspannung (max)	230 V
Output Frequenz	50/60 Hz
Regulierung der Ausgangsfrequenz	0.5 Hz
Regulierung der Ausgangsspannung	10%
Automatische Spannungsregulierung	✔
Anstieg der Energiemenge	273 J
Reaktionszeit	6 ms
Eingangs-Leistungsfaktor	0,51
Geräuschpegel	40 dB
Druckanstiegsschutz	✔
Akustische Signale	✔
Akustische Alarm-Modi	Alarm bei Batteriebetrieb, Batterieaustausch, Warnung bei geringer Batterie, Überlastungsalarm

Anschlüsse und Schnittstellen	
AC-Steckertypen	Typ F
Stecker	Typ F
Anzahl der AC-Ausgänge	2 AC-Ausgänge
SmartSlot	✘

Akku/Batterie	
Akku-/Batteriespannung	12 V
Batterielebensdauer (max.)	2 Jahr(e)
Akkuladezeit	8 h
Kaltstart	✔

Design	
Formfaktor *	Kompakt
Produktfarbe *	Schwarz
LED-Anzeigen	✔
Internationale Schutzart (IP-Code)	IP20

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-15 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Höhe bei Betrieb	0 - 3000 m
Höhe bei Lagerung	0 - 3000 m

Zertifikate	
Zertifizierung	CB, CE, EN/IEC 62040-1, EN/IEC 62040-2

Lieferumfang	
Mitgelieferte Kabel	Eingangskabel
Management-Karte enthalten	✘
Betriebsanleitung	✔

Gewicht und Abmessungen	
Breite	31 mm
Tiefe	138 mm
Höhe	98 mm

Anschlüsse und Schnittstellen	
SmartConnect-Anschluss	✕

Akku/Batterie	
Akku-/Batterietechnologie	Plombierte Bleisäure (VRLA)
Batteriekapazität	7 Ah

Gewicht und Abmessungen	
Gewicht	4,5 kg

Verpackungsdaten	
Verpackungsbreite	222 mm
Verpackungstiefe	346 mm
Verpackungshöhe	142 mm
Paketgewicht	4,5 kg

Logistikdaten	
Warentarifnummer (HS)	85078000



0731304404583



731304404583

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date