FSP NanoFit 800 Unterbrechungsfreie Stromversorgung (USV) Standby (Offline) 0,8 kVA 480 W 6 AC-Ausgänge



Marke : FSP

Artikel-Code: PPF4801702

Produktname : NanoFit 800

- Aufgrund seiner kompakten Größe kann es entweder direkt auf dem Schreibtisch platziert oder an der Wand montiert werden
- Garantiert hohe Zuverlässigkeit dank ausgezeichneter Mikroprozessorsteuerung
- Automatischer Neustart während AC sich erholt
- Simulierte Sinuswelle
- Kaltstartfunktion
- 6 Ausgänge
- 2 Anschlüsse USB-Ladegerät 5V / 1A (Max.)
- RJ45-Überspannungsschutz (nur NanoFit 800)
- Touch-LCD im AC- & Batterie-Modus (nur NanoFit 800)(Ausgangs- & Eingangsspannung / Lastpegel / Batteriekapazität / Überlastung)

800VA, 480W, 220-240V, 50/60Hz, Sinewave, 40dB



FSP NanoFit 800 Unterbrechungsfreie Stromversorgung (USV) Standby (Offline) 0,8 kVA 480 W 6 AC-Ausgänge:

Das FSP NanoFit ist ein kompaktes Offline-USV, welches Dank seiner Flexibilität bei Bedarf auch platzsparend an der Wand montiert werden kann. Es schützt die angeschlossenen Geräte wie z.B. Computer, W-LAN Router oder NAS-Systeme vor Totalausfällen oder Stromspitzen.

Merkmale	
USV-Topologie *	Standby (Offline)
Ausgangskapazität *	0,8 kVA
Ausgangsleistung *	480 W
Wellenform *	Sine
Eingangs-Betriebsspannung (min) *	220 V
Eingangs-Betriebsspannung (max) *	240 V
Eingangsfrequenz *	50/60 Hz
Ausgangs-Betriebsspannung (min)	220 V
Ausgangs-Betriebsspannung (max)	240 V
Output Frequenz	50/60 Hz
Regulierung der Ausgangsfrequenz	±1 Hz
Regulierung der Ausgangsspannung	±10%%
Reaktionszeit	6 ms
Geräuschpegel	40 dB
Druckanstiegsschutz	✔
Überspannungsschutz-Funktionen	Netzwerk
Energieschutzeigenschaften	Überlast, Tiefentladeabschaltung, Überlastschutz

Anschlüsse und Schnittstellen	
AC-Steckertypen	Typ F
Anzahl der AC-Ausgänge	6 AC-Ausgänge
USB Anschluss	✔

Anschlüsse und Schnittstellen	
Anzahl USB 2.0 Anschlüsse	2
USB-Port-Typ	USB Typ-A
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	2

Akku/Batterie	
Batteriekapazität	5 Ah
Akku-/Batteriespannung	12 V
Anzahl unterstützter Akkus/Batterien	1
Typische Backup-Zeit bei voller Belastung	14 min
Akkuladezeit	8 h

Design	
Formfaktor *	Kompakt
Produktfarbe *	Schwarz
Displaytyp	LCD

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Relative Luftfeuchtigkeit in Betrieb	0 - 90%

Safety regulation & standards	
Sicherheit	CE

Gewicht und Abmessungen	
Breite	158,5 mm
Tiefe	305 mm
Höhe	95 mm
Gewicht	2,9 kg

Logistikdaten	
Warentarifnummer (HS)	85078000

4713224521157

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-OCT-2026. Prints or copies of Information are only valid on the printed Publication date